
1300 302 249
sales@cableduct.com.au
www.cableduct.com.au



PRODUCT CATALOGUE

Service Columns, Pedestals & Pendants

Cableduct service columns carry power and data from the ceiling void straight down to the workstation, with no wall chasing and no floor cutting. The range runs from the slim 32mm round SP32 to the 100 x 100mm SP100100 with four divisions, plus columns with outlets in the face, flexible spines, desk pedestals and hanging pendants.

Tell us your floor-to-ceiling height and the outlets you need, and we will confirm the right product and length for your project.

KEY FEATURES

- Brings power and data from the ceiling void to the workstation – no wall chasing or floor cutting
- Round, rectangular and square aluminium profiles from 32mm to 100 x 100mm
- Single, two or four divisions to keep power, data/voice and other services segregated
- 3m, 4m and 6m lengths, supplied with ceiling shroud, foot plate and fixing hardware
- Natural anodised, pearl white and satin black finishes (SC8550 also black ripple)
- Flexible spines, desk pedestals and hanging pendants for every type of workspace

TYPICAL APPLICATIONS

Open-plan offices	Laboratories & workshops
Classrooms & training rooms	Trading floors
Reception counters & islands	Sit-stand desking


CONTENTS

Service Columns (7 profiles)	
Space Pole	made to order
Umbilical & Pathfinder Spines	
Service Pedestals	
Hanging Service Pendant	
Part Number Index	138 part numbers

RANGE AT A GLANCE




Round column



Column with outlets




Flexible spine



Service pedestal

Service Columns

Ceiling-to-desk aluminium columns in natural anodised, pearl white or satin black (SC8550 also black ripple), 3m, 4m and 6m.




SP32 Round Service Column

The SP32 is the slimmest column in the Cableduct range: a 32mm round aluminium pole that carries power and data from the ceiling void straight down to the workstation. There is no wall chasing and no floor cutting, just a neat, discreet drop exactly where the desk needs it. It suits open-plan offices, laboratories, classrooms and workshops where a full-size column would be too heavy for the space.

Profile	**32mm round aluminium**
Configuration	**Single division**
Lengths	**3m, 4m and 6m**
Supplied with	**Top plate, ceiling shroud, internal foot plate, height-adjustment and fixing hardware**

Finish	3m length	4m length	6m length
Natural anodised	SP321D3MAN	SP321D4MAN	SP321D6MAN
Pearl white	SP321D3MPW	SP321D4MPW	SP321D6MPW
Satin black	SP321D3MBLK	SP321D4MBLK	SP321D6MBLK



SP50 Round Service Column


The SP50 is the all-rounder of the Cableduct round column range. At 50mm in diameter it has the capacity for a proper workstation feed while still keeping a slim, tidy profile from ceiling to desk. Choose the two-division version to keep power and data/voice in their own channels inside the column, the neat way to meet segregation requirements on a fit-out. The single-division version suits power-only or mixed runs.

Profile	**50mm round aluminium**
Configuration	**Single division, or two division for separate power and data/voice**
Lengths	**3m, 4m and 6m**
Supplied with	**Ceiling shroud, adjustment screw, internal foot plate and fixing hardware**
Options	**T-bar kit for suspended ceiling grids**

Finish	Configuration	3m length	4m length	6m length
Natural anodised	Single division	SP501D3MAN	SP501D4MAN	SP501D6MAN
Natural anodised	Two division (power and data)	SP502D3MAN	SP502D4MAN	SP502D6MAN
Pearl white	Single division	SP501D3MPW	SP501D4MPW	SP501D6MPW
Pearl white	Two division (power and data)	SP502D3MPW	SP502D4MPW	SP502D6MPW
Satin black	Single division	SP501D3MBLK	SP501D4MBLK	SP501D6MBLK
Satin black	Two division (power and data)	SP502D3MBLK	SP502D4MBLK	SP502D6MBLK

Service Columns (continued)

Ceiling-to-desk aluminium columns in natural anodised, pearl white or satin black (SC8550 also black ripple), 3m, 4m and 6m.




SP70 Round Service Column

When a slim column will not carry enough, the SP70 steps up. Its 70mm round aluminium body gives generous room for power, data and voice cabling to reach larger workstation clusters, benches and labs, while keeping the clean round profile of the Cableduct range. Choose two divisions to keep power and data/voice in separate channels all the way from the ceiling to the desk, or a single division for power-only runs.

Profile	**70mm round aluminium**
Configuration	**Single division, or two division for separate power and data/voice**
Lengths	**3m, 4m and 6m**
Supplied with	**Ceiling shroud, adjustment screw, internal foot plate and fixing hardware**
Options	**T-bar kit for suspended ceiling grids**

Finish	Configuration	3m length	4m length	6m length
Natural anodised	Single division	SP701D3MAN	SP701D4MAN	SP701D6MAN
Natural anodised	Two division (power and data)	SP702D3MAN	SP702D4MAN	SP702D6MAN
Pearl white	Single division	SP701D3MPW	SP701D4MPW	SP701D6MPW
Pearl white	Two division (power and data)	SP702D3MPW	SP702D4MPW	SP702D6MPW
Satin black	Single division	SP701D3MBLK	SP701D4MBLK	SP701D6MBLK
Satin black	Two division (power and data)	SP702D3MBLK	SP702D4MBLK	SP702D6MBLK



SP7550 Rectangular Service Column


The SP7550 brings the Cableduct column range into a rectangular profile. At 75 x 50mm it has flat faces that sit neatly against desk ends and joinery, and a shape that lines up cleanly with square-edged furniture and partitions. Choose two divisions to run power and data/voice in separate channels from the ceiling to the desk, or a single division for power-only runs.

Profile	**75 x 50mm rectangular aluminium**
Configuration	**Single division, or two division for separate power and data/voice**
Lengths	**3m, 4m and 6m**
Supplied with	**Ceiling shroud, adjustment screw, internal foot plate and fixing hardware**
Options	**T-bar kit for suspended ceiling grids**

Finish	Configuration	3m length	4m length	6m length
Natural anodised	Single division	SP75501D3MAN	SP75501D4MAN	SP75501D6MAN
Natural anodised	Two division (power and data)	SP75502D3MAN	SP75502D4MAN	SP75502D6MAN
Pearl white	Single division	SP75501D3MPW	SP75501D4MPW	SP75501D6MAPW
Pearl white	Two division (power and data)	SP75502D3MPW	SP75502D4MPW	SP75502D6MPW
Satin black	Single division	SP75501D3MSB	SP75501D4MSB	SP75501D6MASB
Satin black	Two division (power and data)	SP75502D3MSB	SP75502D4MSB	SP75502D6MSB

Service Columns (continued)

Ceiling-to-desk aluminium columns in natural anodised, pearl white or satin black (SC8550 also black ripple), 3m, 4m and 6m.




SP8080 Square Service Column

The SP8080 is a square 80 x 80mm aluminium column built for workstation clusters that need real cable capacity. Its generous internal space takes multiple power circuits alongside data and voice, and its square profile gives a solid, architectural look in open-plan offices, training rooms and labs. Choose two divisions to keep power and data/voice apart from ceiling to desk, or a single division for power-only runs.

Profile	**80 x 80mm square aluminium**
Configuration	**Single division, or two division for separate power and data/voice**
Lengths	**3m, 4m and 6m**
Supplied with	**Ceiling shroud, adjustment screw, internal foot plate and fixing hardware**
Options	**T-bar clamp kit for suspended ceiling grids**

Finish	Configuration	3m length	4m length	6m length
Natural anodised	Single division	SP80801D3MAN	SP80801D4MAN	SP80801D6MAN
Natural anodised	Two division (power and data)	SP80802D3MAN	SP80802D4MAN	SP80802D6MAN
Pearl white	Single division	SP80801D3MPW	SP80801D4MPW	SP80801D6MAPW
Pearl white	Two division (power and data)	SP80802D3MPW	SP80802D4MPW	SP80802D6MPW
Satin black	Single division	SP80801D3MSB	SP80801D4MSB	SP80801D6MASB
Satin black	Two division (power and data)	SP80802D3MSB	SP80802D4MSB	SP80802D6MSB



SP100100 Square Service Column


The SP100100 is the flagship of the Cableduct column range: a 100 x 100mm square aluminium column with the capacity to feed large workstation pods, benching runs, laboratories and trading floors from a single ceiling drop. It is the only column in the range offered with four divisions, so power, data, voice and a further service such as AV or security can each run in their own channel. Two-division and single-division versions are also available.

Profile	**100 x 100mm square aluminium**
Configuration	**Single, two or four division**
Lengths	**3m, 4m and 6m**
Supplied with	**Ceiling shroud, adjustment screw, internal foot plate and fixing hardware**
Options	**T-bar clamp kit for suspended ceiling grids**

Finish	Configuration	3m length	4m length	6m length
Natural anodised	Single division	SP1001001D3MAN	SP1001001D4MAN	SP1001001D6MAN
Natural anodised	Two division (power and data)	SP1001002D3MAN	SP1001002D4MAN	SP1001002D6MAN
Natural anodised	Four division	SP1001004D3MAN	SP1001004D4MAN	SP1001004D6MAN
Pearl white	Single division	SP1001001D3MPW	SP1001001D4MPW	SP1001001D6MAPW
Pearl white	Two division (power and data)	SP1001002D3MPW	SP1001002D4MPW	SP1001002D6MPW
Pearl white	Four division	SP1001004D3MPW	SP1001004D4MPW	SP1001004D6MPW
Satin black	Single division	SP1001001D3MSB	SP1001001D4MSB	SP1001001D6MASB
Satin black	Two division (power and data)	SP1001002D3MSB	SP1001002D4MSB	SP1001002D6MSB
Satin black	Four division	SP1001004D3MSB	SP1001004D4MSB	SP1001004D6MSB

Service Columns (continued)

Ceiling-to-desk aluminium columns in natural anodised, pearl white or satin black (SC8550 also black ripple), 3m, 4m and 6m.



SC8550 Rectangular Service Column


The SC8550 is the Cableduct column for projects where the outlets live on the column itself. Its 85 x 50mm aluminium body has a removable lid for easy cabling and changes after installation, and an outlet mounting bracket so power and data outlets can be fitted straight into the column face at the desk. Two internal channels keep power and data/voice separated from the ceiling flange down, and it is the only column in the range offered in black ripple as well as the standard finishes.

Profile	**85 x 50mm rectangular aluminium with removable lid**
Configuration	**Two channel, for separate power and data/voice**
Outlets	**Outlet mounting bracket for fitting outlets into the column face**
Lengths	**3m, 4m and 6m**
Supplied with	**Ceiling flange and fixing hardware**

Finish	3m length	4m length	6m length
Natural anodised	SC85502D3MAN	SC85502D4MAN	SC85502D6MAN
Pearl white	SC85502D3MW	SC85502D4MW	SC85502D6MW
Satin black	SC85502D3MBS	SC85502D4MBS	SC85502D6MBS
Black ripple	SC85502D3MBR	SC85502D4MBR	SC85502D6MBR

Space Pole

Floor-to-ceiling power pole with outlets in the face – made to order.



Spacepole Dimensional Cross Section
80 x 45mm Aluminium w Clip-In Lid

Space Pole Service Column

The Space Pole is a floor-to-ceiling power pole built around an 80 x 45mm extruded aluminium body with a clip-in lid. Power and data outlets mount straight into the face of the pole, so services arrive exactly where people work, with the cabling hidden inside. The clip-in lid lets installers cable the pole after it is fixed in place and come back later to add or move outlets, which makes it a practical choice for offices, retail and commercial fit-outs that change over time. Internal routing keeps power and data cabling organised and segregated from ceiling to floor.

Profile	**80 x 45mm extruded aluminium with clip-in lid**
Services	**Power, data and communications, with internal segregation**
Applications	**Offices, retail, commercial fit-outs and new installations**
Lengths and finishes	**To suit project requirements, ask us for options**
Lid	**Clip-in lid for access along the full length**
Outlets	**Power, data and communications outlets mounted in the pole face**
Length	**Supplied to suit your floor-to-ceiling height**
Finish	**Range of finishes to suit the project**

Umbilical & Pathfinder Flexible Spines

Flexible cable spines for sit-stand desks and changing layouts.



Umbilical and Flexible Spine Cable Management


Not every desk needs a rigid column. Cableduct umbilical and flexible spine systems are made from linked segments that bend and move with the furniture, so cables stay tidy and protected even on sit-stand desks and layouts that get rearranged. Umbilical spines are the simple option for feeding a workstation from above or tidying the drop from desk to floor. Pathfinder vertical cable management goes further, with ceiling and desk collars, weighted or screwed bases and separate paths for power and data, so it can stand on the floor without any floor fixing.

Construction	**Linked flexible spine segments**
Umbilical spines	**1.3m ceiling-to-workstation spine in black or white, and a 740mm under-desk spine in silver**
Pathfinder	**780mm desk-to-floor, 2,140mm ceiling-to-desk and 2,800mm ceiling-to-floor versions, in black or white**
Mounting	**Top screw mount, ceiling collar, desk collar, weighted base or screwed base, depending on model**
Services	**Power and data kept separate along the run (Pathfinder)**
Ordering	**Pathfinder part numbers cover both black and white – please state the colour, and for the ceiling collar model the base type, when you order.**

Part number	Product	Route	Finish	Length
UMBSPINE1300B	Umbilical flexible spine	Ceiling void to workstation	Black	1.3m (1,300mm)
UMBSPINE1300W	Umbilical flexible spine	Ceiling void to workstation	White	1.3m (1,300mm)
UMBUDSIL	Umbilical under-desk spine	Desk to floor	Silver	740mm
135130	Pathfinder, top screw mount with weighted base	Desk to floor, no floor fixing	Black	780mm
135130	Pathfinder, top screw mount with weighted base	Desk to floor, no floor fixing	White	780mm
135144	Pathfinder, ceiling and desk collar	Ceiling to desktop	Black	2,140mm
135144	Pathfinder, ceiling and desk collar	Ceiling to desktop	White	2,140mm
135142	Pathfinder, ceiling collar with weighted or screwed base	Ceiling to floor	Black	2,800mm
135142	Pathfinder, ceiling collar with weighted or screwed base	Ceiling to floor	White	2,800mm

Service Pedestals


Desk-mounted aluminium pedestals, 2 channel, power and data separated.



Service Pedestals

Cableduct service pedestals put outlets exactly where people work, without a power board in sight. Each pedestal is an aluminium post divided into two channels for its full length, so power and data run separately from the base plate to the outlets, and all are suitable for Category 6 and 6A data cabling. The flush base plate fixes to the desktop, and on the SP72 can be inverted to fix to a ceiling or wall. Complete pedestals are supplied ready to install, individual parts can be ordered separately, and we can customise heights and configurations to suit your project.

Part number	Body	Outlets	Height	Finish
PP70 - SP72	70 x 70mm square, 2 channel	4 x Clipsal 2000 series style, in 120 x 120 x 80mm outlet box	390mm	Pearl white
PP70 - SP75	70 x 70mm square, 2 channel	Vertical style outlets (not included)	640mm	Pearl white
PP85 - SP87	85 x 50mm rectangular, 2 channel	2 x Clipsal 2000 series style, with outlet mounting shroud	390mm	Pearl white
PP85 - SP87	85 x 50mm rectangular, 2 channel	2 x Clipsal 2000 series style, with outlet mounting shroud	390mm	Natural anodised




PP70 - SP72 service pedestal with outlet box

A 70 x 70mm square pedestal topped with a 120 x 120 x 80mm outlet box that takes four Clipsal 2000 series style power, data or AV outlets. The box is divided into power and data sections, matching the 70mm channel divider that runs the length of the pedestal.

Outlets	**4 x Clipsal 2000 series style power, data or AV**
Outlet box	**120 x 120 x 80mm, divided for power and data**
Body	**70 x 70mm square aluminium, radiused corners**
Channels	**2, with 70mm channel divider full length**
Height	**390mm standard**
Base plate	**Fixes to the desktop, or inverted to a ceiling or wall**
Finish	**Pearl white**
Cabling	**Suitable for Cat 6 and 6A**

Service Pedestals (continued)


Desk-mounted aluminium pedestals, 2 channel, power and data separated.



PP70 - SP75 tall service pedestal

A taller 640mm pedestal on the same 70 x 70mm square body, designed for vertical style power, data and AV outlets mounted in the face of the pedestal. Outlets are not included, so you can choose the outlets to suit your project.

Outlets	**Vertical style power, data or AV (not included)**
Body	**70 x 70mm square aluminium, radiused corners**
Channels	**2, with 70mm channel divider full length**
Height	**640mm standard**
Top	**End cap with 2 x painted end cap screws**
Base plate	**Fixes flush to the desktop**
Finish	**Pearl white**
Cabling	**Suitable for Cat 6 and 6A**




PP85 - SP87 rectangular service pedestal

An 85 x 50mm rectangular pedestal with an outlet mounting shroud that takes two Clipsal 2000 series style outlets. Its slimmer profile suits narrow desks, benches and counters, and it is available in natural anodised as well as pearl white.

Outlets	**2 x Clipsal 2000 series style power, data or AV**
Body	**85 x 50mm rectangular aluminium, radiused corners**
Channels	**2, with 80mm channel divider full length**
Height	**390mm standard**
Outlet mounting	**Outlet mounting shroud (SP85OC)**
Top	**End cap with 2 x painted end cap screws**
Finish	**Pearl white or natural anodised**
Cabling	**Suitable for Cat 6 and 6A**

Hanging Service Pendant

Ceiling-hung pendant for benches, counters and islands.



PO8550 Hanging Service Pendant

The PO8550 hanging pendant brings services down from the ceiling to exactly where they are needed, above laboratory benches, workshop tables, reception counters and islands, with nothing fixed to the floor or the work surface. Its 85 x 50mm aluminium body hangs from an end cap with a built-in hook and takes two standard GPO, data or AV outlets in an outlet mounting shroud. The two-division PO8550/2 adds an 80mm channel divider to keep power and data separate for the full length of the pendant.

Body	**85 x 50mm rectangular aluminium, radiused corners**
Outlets	**Provision for 2 x standard GPO, data or AV outlets**
Height	**280mm total**
Top	**End cap with hanging hook, 2 x conduit knockouts and 2 x painted end cap screws (PO8550HE)**
Outlet mounting	**Outlet mounting shroud (PO8550OC)**
Bottom	**Bottom end cap with 2 x painted end cap screws (PO8550BE)**
PO8550/2	**80mm channel divider for separate power and data**
Cabling	**Suitable for Cat 6 and 6A**
Finish	**Pearl white or natural anodised**

Part number	Configuration	Outlets	Finish	Height
PO8550	Single division	2 x GPO, data or AV	Pearl white	280mm
PO8550	Single division	2 x GPO, data or AV	Natural anodised	280mm
PO8550/2	Two division, power and data	2 x GPO, data or AV	Pearl white	280mm
PO8550/2	Two division, power and data	2 x GPO, data or AV	Natural anodised	280mm

Part Number Index

All 138 part numbers in this catalogue.

Part Number	Description	Section
SP321D3MAN	SP32 Round Service Column, Natural anodised, 3m	Service Columns
SP321D4MAN	SP32 Round Service Column, Natural anodised, 4m	Service Columns
SP321D6MAN	SP32 Round Service Column, Natural anodised, 6m	Service Columns
SP321D3MPW	SP32 Round Service Column, Pearl white, 3m	Service Columns
SP321D4MPW	SP32 Round Service Column, Pearl white, 4m	Service Columns
SP321D6MPW	SP32 Round Service Column, Pearl white, 6m	Service Columns
SP321D3MBLK	SP32 Round Service Column, Satin black, 3m	Service Columns
SP321D4MBLK	SP32 Round Service Column, Satin black, 4m	Service Columns
SP321D6MBLK	SP32 Round Service Column, Satin black, 6m	Service Columns
SP501D3MAN	SP50 Round Service Column, Natural anodised, Single division, 3m	Service Columns

Part Number Index (continued)

All 138 part numbers in this catalogue.

Part Number	Description	Section
SP501D4MAN	SP50 Round Service Column, Natural anodised, Single division, 4m	Service Columns
SP501D6MAN	SP50 Round Service Column, Natural anodised, Single division, 6m	Service Columns
SP502D3MAN	SP50 Round Service Column, Natural anodised, Two division (power and data), 3m	Service Columns
SP502D4MAN	SP50 Round Service Column, Natural anodised, Two division (power and data), 4m	Service Columns
SP502D6MAN	SP50 Round Service Column, Natural anodised, Two division (power and data), 6m	Service Columns
SP501D3MPW	SP50 Round Service Column, Pearl white, Single division, 3m	Service Columns
SP501D4MPW	SP50 Round Service Column, Pearl white, Single division, 4m	Service Columns
SP501D6MPW	SP50 Round Service Column, Pearl white, Single division, 6m	Service Columns
SP502D3MPW	SP50 Round Service Column, Pearl white, Two division (power and data), 3m	Service Columns
SP502D4MPW	SP50 Round Service Column, Pearl white, Two division (power and data), 4m	Service Columns
SP502D6MPW	SP50 Round Service Column, Pearl white, Two division (power and data), 6m	Service Columns
SP501D3MBLK	SP50 Round Service Column, Satin black, Single division, 3m	Service Columns
SP501D4MBLK	SP50 Round Service Column, Satin black, Single division, 4m	Service Columns
SP501D6MBLK	SP50 Round Service Column, Satin black, Single division, 6m	Service Columns
SP502D3MBLK	SP50 Round Service Column, Satin black, Two division (power and data), 3m	Service Columns
SP502D4MBLK	SP50 Round Service Column, Satin black, Two division (power and data), 4m	Service Columns
SP502D6MBLK	SP50 Round Service Column, Satin black, Two division (power and data), 6m	Service Columns
SP701D3MAN	SP70 Round Service Column, Natural anodised, Single division, 3m	Service Columns
SP701D4MAN	SP70 Round Service Column, Natural anodised, Single division, 4m	Service Columns
SP701D6MAN	SP70 Round Service Column, Natural anodised, Single division, 6m	Service Columns
SP702D3MAN	SP70 Round Service Column, Natural anodised, Two division (power and data), 3m	Service Columns
SP702D4MAN	SP70 Round Service Column, Natural anodised, Two division (power and data), 4m	Service Columns
SP702D6MAN	SP70 Round Service Column, Natural anodised, Two division (power and data), 6m	Service Columns
SP701D3MPW	SP70 Round Service Column, Pearl white, Single division, 3m	Service Columns
SP701D4MPW	SP70 Round Service Column, Pearl white, Single division, 4m	Service Columns
SP701D6MPW	SP70 Round Service Column, Pearl white, Single division, 6m	Service Columns
SP702D3MPW	SP70 Round Service Column, Pearl white, Two division (power and data), 3m	Service Columns
SP702D4MPW	SP70 Round Service Column, Pearl white, Two division (power and data), 4m	Service Columns
SP702D6MPW	SP70 Round Service Column, Pearl white, Two division (power and data), 6m	Service Columns
SP701D3MBLK	SP70 Round Service Column, Satin black, Single division, 3m	Service Columns
SP701D4MBLK	SP70 Round Service Column, Satin black, Single division, 4m	Service Columns
SP701D6MBLK	SP70 Round Service Column, Satin black, Single division, 6m	Service Columns
SP702D3MBLK	SP70 Round Service Column, Satin black, Two division (power and data), 3m	Service Columns
SP702D4MBLK	SP70 Round Service Column, Satin black, Two division (power and data), 4m	Service Columns
SP702D6MBLK	SP70 Round Service Column, Satin black, Two division (power and data), 6m	Service Columns
SP75501D3MAN	SP7550 Rectangular Service Column, Natural anodised, Single division, 3m	Service Columns
SP75501D4MAN	SP7550 Rectangular Service Column, Natural anodised, Single division, 4m	Service Columns

Part Number Index (continued)

All 138 part numbers in this catalogue.

Part Number	Description	Section
SP75501D6MAN	SP7550 Rectangular Service Column, Natural anodised, Single division, 6m	Service Columns
SP75502D3MAN	SP7550 Rectangular Service Column, Natural anodised, Two division (power and data), 3m	Service Columns
SP75502D4MAN	SP7550 Rectangular Service Column, Natural anodised, Two division (power and data), 4m	Service Columns
SP75502D6MAN	SP7550 Rectangular Service Column, Natural anodised, Two division (power and data), 6m	Service Columns
SP75501D3MPW	SP7550 Rectangular Service Column, Pearl white, Single division, 3m	Service Columns
SP75501D4MPW	SP7550 Rectangular Service Column, Pearl white, Single division, 4m	Service Columns
SP75501D6MAPW	SP7550 Rectangular Service Column, Pearl white, Single division, 6m	Service Columns
SP75502D3MPW	SP7550 Rectangular Service Column, Pearl white, Two division (power and data), 3m	Service Columns
SP75502D4MPW	SP7550 Rectangular Service Column, Pearl white, Two division (power and data), 4m	Service Columns
SP75502D6MPW	SP7550 Rectangular Service Column, Pearl white, Two division (power and data), 6m	Service Columns
SP75501D3MSB	SP7550 Rectangular Service Column, Satin black, Single division, 3m	Service Columns
SP75501D4MSB	SP7550 Rectangular Service Column, Satin black, Single division, 4m	Service Columns
SP75501D6MASB	SP7550 Rectangular Service Column, Satin black, Single division, 6m	Service Columns
SP75502D3MSB	SP7550 Rectangular Service Column, Satin black, Two division (power and data), 3m	Service Columns
SP75502D4MSB	SP7550 Rectangular Service Column, Satin black, Two division (power and data), 4m	Service Columns
SP75502D6MSB	SP7550 Rectangular Service Column, Satin black, Two division (power and data), 6m	Service Columns
SP80801D3MAN	SP8080 Square Service Column, Natural anodised, Single division, 3m	Service Columns
SP80801D4MAN	SP8080 Square Service Column, Natural anodised, Single division, 4m	Service Columns
SP80801D6MAN	SP8080 Square Service Column, Natural anodised, Single division, 6m	Service Columns
SP80802D3MAN	SP8080 Square Service Column, Natural anodised, Two division (power and data), 3m	Service Columns
SP80802D4MAN	SP8080 Square Service Column, Natural anodised, Two division (power and data), 4m	Service Columns
SP80802D6MAN	SP8080 Square Service Column, Natural anodised, Two division (power and data), 6m	Service Columns
SP80801D3MPW	SP8080 Square Service Column, Pearl white, Single division, 3m	Service Columns
SP80801D4MPW	SP8080 Square Service Column, Pearl white, Single division, 4m	Service Columns
SP80801D6MAPW	SP8080 Square Service Column, Pearl white, Single division, 6m	Service Columns
SP80802D3MPW	SP8080 Square Service Column, Pearl white, Two division (power and data), 3m	Service Columns
SP80802D4MPW	SP8080 Square Service Column, Pearl white, Two division (power and data), 4m	Service Columns
SP80802D6MPW	SP8080 Square Service Column, Pearl white, Two division (power and data), 6m	Service Columns
SP80801D3MSB	SP8080 Square Service Column, Satin black, Single division, 3m	Service Columns
SP80801D4MSB	SP8080 Square Service Column, Satin black, Single division, 4m	Service Columns
SP80801D6MASB	SP8080 Square Service Column, Satin black, Single division, 6m	Service Columns
SP80802D3MSB	SP8080 Square Service Column, Satin black, Two division (power and data), 3m	Service Columns
SP80802D4MSB	SP8080 Square Service Column, Satin black, Two division (power and data), 4m	Service Columns
SP80802D6MSB	SP8080 Square Service Column, Satin black, Two division (power and data), 6m	Service Columns
SP1001001D3MAN	SP100100 Square Service Column, Natural anodised, Single division, 3m	Service Columns
SP1001001D4MAN	SP100100 Square Service Column, Natural anodised, Single division, 4m	Service Columns
SP1001001D6MAN	SP100100 Square Service Column, Natural anodised, Single division, 6m	Service Columns

Part Number Index (continued)

All 138 part numbers in this catalogue.

Part Number	Description	Section
SP1001002D3MAN	SP100100 Square Service Column, Natural anodised, Two division (power and data), 3m	Service Columns
SP1001002D4MAN	SP100100 Square Service Column, Natural anodised, Two division (power and data), 4m	Service Columns
SP1001002D6MAN	SP100100 Square Service Column, Natural anodised, Two division (power and data), 6m	Service Columns
SP1001004D3MAN	SP100100 Square Service Column, Natural anodised, Four division, 3m	Service Columns
SP1001004D4MAN	SP100100 Square Service Column, Natural anodised, Four division, 4m	Service Columns
SP1001004D6MAN	SP100100 Square Service Column, Natural anodised, Four division, 6m	Service Columns
SP1001001D3MPW	SP100100 Square Service Column, Pearl white, Single division, 3m	Service Columns
SP1001001D4MPW	SP100100 Square Service Column, Pearl white, Single division, 4m	Service Columns
SP1001001D6MAPW	SP100100 Square Service Column, Pearl white, Single division, 6m	Service Columns
SP1001002D3MPW	SP100100 Square Service Column, Pearl white, Two division (power and data), 3m	Service Columns
SP1001002D4MPW	SP100100 Square Service Column, Pearl white, Two division (power and data), 4m	Service Columns
SP1001002D6MPW	SP100100 Square Service Column, Pearl white, Two division (power and data), 6m	Service Columns
SP1001004D3MPW	SP100100 Square Service Column, Pearl white, Four division, 3m	Service Columns
SP1001004D4MPW	SP100100 Square Service Column, Pearl white, Four division, 4m	Service Columns
SP1001004D6MPW	SP100100 Square Service Column, Pearl white, Four division, 6m	Service Columns
SP1001001D3MSB	SP100100 Square Service Column, Satin black, Single division, 3m	Service Columns
SP1001001D4MSB	SP100100 Square Service Column, Satin black, Single division, 4m	Service Columns
SP1001001D6MASB	SP100100 Square Service Column, Satin black, Single division, 6m	Service Columns
SP1001002D3MSB	SP100100 Square Service Column, Satin black, Two division (power and data), 3m	Service Columns
SP1001002D4MSB	SP100100 Square Service Column, Satin black, Two division (power and data), 4m	Service Columns
SP1001002D6MSB	SP100100 Square Service Column, Satin black, Two division (power and data), 6m	Service Columns
SP1001004D3MSB	SP100100 Square Service Column, Satin black, Four division, 3m	Service Columns
SP1001004D4MSB	SP100100 Square Service Column, Satin black, Four division, 4m	Service Columns
SP1001004D6MSB	SP100100 Square Service Column, Satin black, Four division, 6m	Service Columns
SC85502D3MAN	SC8550 Rectangular Service Column, Natural anodised, 3m	Service Columns
SC85502D4MAN	SC8550 Rectangular Service Column, Natural anodised, 4m	Service Columns
SC85502D6MAN	SC8550 Rectangular Service Column, Natural anodised, 6m	Service Columns
SC85502D3MW	SC8550 Rectangular Service Column, Pearl white, 3m	Service Columns
SC85502D4MW	SC8550 Rectangular Service Column, Pearl white, 4m	Service Columns
SC85502D6MW	SC8550 Rectangular Service Column, Pearl white, 6m	Service Columns
SC85502D3MBS	SC8550 Rectangular Service Column, Satin black, 3m	Service Columns
SC85502D4MBS	SC8550 Rectangular Service Column, Satin black, 4m	Service Columns
SC85502D6MBS	SC8550 Rectangular Service Column, Satin black, 6m	Service Columns
SC85502D3MBR	SC8550 Rectangular Service Column, Black ripple, 3m	Service Columns
SC85502D4MBR	SC8550 Rectangular Service Column, Black ripple, 4m	Service Columns
SC85502D6MBR	SC8550 Rectangular Service Column, Black ripple, 6m	Service Columns
ESPC	Space Pole Service Column (made to order)	Space Pole

Part Number Index (continued)

All 138 part numbers in this catalogue.

Part Number	Description	Section
UMBSPINE1300B	Umbilical flexible spine, Black, 1.3m (1,300mm)	Umbilical & Pathfinder
UMBSPINE1300W	Umbilical flexible spine, White, 1.3m (1,300mm)	Umbilical & Pathfinder
UMBUDSIL	Umbilical under-desk spine, Silver, 740mm	Umbilical & Pathfinder
135130	Pathfinder, top screw mount with weighted base, Black, 780mm	Umbilical & Pathfinder
135130	Pathfinder, top screw mount with weighted base, White, 780mm	Umbilical & Pathfinder
135144	Pathfinder, ceiling and desk collar, Black, 2,140mm	Umbilical & Pathfinder
135144	Pathfinder, ceiling and desk collar, White, 2,140mm	Umbilical & Pathfinder
135142	Pathfinder, ceiling collar with weighted or screwed base, Black, 2,800mm	Umbilical & Pathfinder
135142	Pathfinder, ceiling collar with weighted or screwed base, White, 2,800mm	Umbilical & Pathfinder
PP70 - SP72	Service pedestal, 70 x 70mm square, 2 channel, 390mm, Pearl white	Service Pedestals
PP70 - SP75	Service pedestal, 70 x 70mm square, 2 channel, 640mm, Pearl white	Service Pedestals
PP85 - SP87	Service pedestal, 85 x 50mm rectangular, 2 channel, 390mm, Pearl white	Service Pedestals
PP85 - SP87	Service pedestal, 85 x 50mm rectangular, 2 channel, 390mm, Natural anodised	Service Pedestals
PO8550	Hanging service pendant, Single division, Pearl white	Service Pendant
PO8550	Hanging service pendant, Single division, Natural anodised	Service Pendant
PO8550/2	Hanging service pendant, Two division, power and data, Pearl white	Service Pendant
PO8550/2	Hanging service pendant, Two division, power and data, Natural anodised	Service Pendant

For quotes, stock and technical assistance email sales@cableduct.com.au or call 1300 302 249. Tell us your floor-to-ceiling height and the outlets you need. Specifications are nominal and may change without notice.