1300 302 249
sales@cableduct.com.au
www.cableduct.com.au



PRODUCT CATALOGUE

Unex Insulating Cable Tray & Ladder

Unex U23X insulating perforated cable tray 66 and cable ladder 67, with matching snap-shut covers, connectors, supports and fixings. Electrically non-conductive, so no earthing is required, and inherently resistant to humid, saline and chemical corrosion, for outdoor and indoor installations.

This catalogue lists all 109 Unex part numbers available from Cableduct Systems, with key specifications. Contact us for quotes, stock and technical assistance.

KEY FEATURES

- Insulating, electrically non-conductive - no earthing required
- Inherently resistant to humid and saline corrosion
- Good performance outdoors with UV exposure
- Non flame propagating, glow-wire tested to 960°C
- RoHS II compliant

TYPICAL APPLICATIONS

Outdoor cable runs	Industrial & commercial sites
Humid & saline environments	Solar/PV installations

CONTENTS

Perforated Insulating Cable Tray 66 — 60mm high	6 parts
Perforated Insulating Cable Tray 66 — 100mm high	5 parts
Covers	8 parts
Insulating Cable Ladder 67	10 parts
Cable Tray 66 Accessories	10 items
Cable Ladder 67 Accessories	8 items
Fixings & Fasteners	7 items
Part Number Index	109 part numbers

RANGE AT A GLANCE



Perforated tray 66



Cover



Cable ladder 67



Raised cover clamp

Materials: U23X insulating PVC (grey RAL 7035), U48X halogen-free (100% recycled thermoplastic). Fixings in AISI 316 stainless (A4) or galvanised Class 6 (C6).

Perforated Insulating Cable Tray 66 — 60mm high

U23X PVC, grey RAL 7035, 3m lengths.



66090

Unex Perforated Insulating Cable Tray 60x75 U23X Grey

Perforated

Size (W x H)	**60 x 75mm**
Length	**3m**
Safe Working Load	**7.9 kg/m**
Material	**U23X (PVC)**

Insulating, electrically non-conductive - no earthing required



66100

Unex Perforated Insulating Cable Tray 60x100 U23X Grey

Perforated

Size (W x H)	**60 x 100mm**
Length	**3m**
Safe Working Load	**10.8 kg/m**
Material	**U23X (PVC)**

Insulating, electrically non-conductive - no earthing required



66150

Unex Perforated Insulating Cable Tray 60x150 U23X Grey

Perforated

Size (W x H)	**60 x 150mm**
Length	**3m**
Safe Working Load	**16.6 kg/m**
Material	**U23X (PVC)**

Insulating, electrically non-conductive - no earthing required



66200

Unex Perforated Insulating Cable Tray 60x200 U23X Grey

Perforated

Size (W x H)	**60 x 200mm**
Length	**3m**
Safe Working Load	**22.5 kg/m**
Material	**U23X (PVC)**

Insulating, electrically non-conductive - no earthing required



66300

Unex Perforated Insulating Cable Tray 60x300 U23X Grey

Perforated

Size (W x H)	**60 x 300mm**
Length	**3m**
Safe Working Load	**33.7 kg/m**
Material	**U23X (PVC)**

Insulating, electrically non-conductive - no earthing required



66400

Unex Perforated Insulating Cable Tray 60x400 U23X Grey

Perforated

Size (W x H)	**60 x 400mm**
Length	**3m**
Safe Working Load	**45.6 kg/m**
Material	**U23X (PVC)**

Insulating, electrically non-conductive - no earthing required

Perforated Insulating Cable Tray 66 — 100mm high

U23X PVC, grey RAL 7035, 3m lengths.



66220

Unex Perforated Insulating Cable Tray 100x200 U23X Grey

Perforated

Size (W x H)	**100 x 200mm**
Length	**3m**
Material	**U23X (PVC)**
Fire Rating	**Class M1, UL94 V0**

Insulating, electrically non-conductive - no earthing required



66320

Unex Perforated Insulating Cable Tray 100x300 U23X Grey

Perforated

Size (W x H)	**100 x 300mm**
Length	**3m**
Material	**U23X (PVC)**
Fire Rating	**Class M1, UL94 V0**

Insulating, electrically non-conductive - no earthing required



66420

Unex Perforated Insulating Cable Tray 100x400 U23X Grey

Perforated

Size (W x H)	**100 x 400mm**
Length	**3m**
Material	**U23X (PVC)**
Fire Rating	**Class M1, UL94 V0**

Insulating, electrically non-conductive - no earthing required




66520

Unex Perforated Insulating Cable Tray 100x500 U23X Grey

Perforated

Size (W x H)	**100 x 500mm**
Length	**3m**
Material	**U23X (PVC)**
Fire Rating	**Class M1, UL94 V0**

Insulating, electrically non-conductive - no earthing required



66620

Unex Perforated Insulating Cable Tray 100x600 U23X Grey

Perforated

Size (W x H)	**100 x 600mm**
Length	**3m**
Material	**U23X (PVC)**
Fire Rating	**Class M1, UL94 V0**

Insulating, electrically non-conductive - no earthing required

Covers

Snap-shut, screw-free U23X covers for tray 66 and ladder 67 of matching width.



66072

Unex Cover 75mm U23X Grey

Width	**75mm**
Standard Length	**3m**
Fits	**Cable Tray 66 (60x75mm)**
Material	**U23X (PVC)**

Snap-shut fitting — no screws required



66102

Unex Cover 100mm U23X Grey

Width	**100mm**
Standard Length	**3m**
Fits	**Cable Tray 66 (60x100mm)**
Material	**U23X (PVC)**

Snap-shut fitting — no screws required



66152

Unex Cover 150mm U23X Grey

Width	**150mm**
Standard Length	**3m**
Fits	**Cable Tray 66 (60x150mm)**
Material	**U23X (PVC)**

Snap-shut fitting — no screws required




66202

Unex Cover 200mm U23X Grey

Width	**200mm**
Standard Length	**3m**
Fits	**Cable Tray 66 / Cable Ladder 67 (200mm)**
Material	**U23X (PVC)**

Snap-shut fitting — no screws required




66302

Unex Cover 300mm U23X Grey

Width	**300mm**
Standard Length	**3m**
Fits	**Cable Tray 66 / Cable Ladder 67 (300mm)**
Material	**U23X (PVC)**

Snap-shut fitting — no screws required



66402

Unex Cover 400mm U23X Grey

Width	**400mm**
Standard Length	**3m**
Fits	**Cable Tray 66 / Cable Ladder 67 (400mm)**
Material	**U23X (PVC)**

Snap-shut fitting — no screws required

Covers (continued)

Snap-shut, screw-free U23X covers for tray 66 and ladder 67 of matching width.



66502

Unex Cover 500mm U23X Grey

Width	**500mm**
Standard Length	**3m**
Fits	**Cable Ladder 67 (500mm)**
Material	**U23X (PVC)**

Snap-shut fitting — no screws required



66602

Unex Cover 600mm U23X Grey

Width	**600mm**
Standard Length	**3m**
Fits	**Cable Ladder 67 (600mm)**
Material	**U23X (PVC)**

Snap-shut fitting — no screws required

Insulating Cable Ladder 67

U23X PVC, grey RAL 7035, 3m lengths, rungs every 300mm.



67200

Unex Insulating Cable Ladder 85x200 U23X Grey

Perforated Rung Ladder

Size (W x H)	**85 x 200mm**
Length	**3m**
Rung Spacing	**300mm**
Support Span (40°C)	**2m**

Insulating, electrically non-conductive - no earthing required



67220

Unex Insulating Cable Ladder 135x200 U23X Grey

Perforated Rung Ladder

Size (W x H)	**135 x 200mm**
Length	**3m**
Rung Spacing	**300mm**
Support Span (40°C)	**3m**

Insulating, electrically non-conductive - no earthing required



67300

Unex Insulating Cable Ladder 85x300 U23X Grey

Perforated Rung Ladder

Size (W x H)	**85 x 300mm**
Length	**3m**
Rung Spacing	**300mm**
Support Span (40°C)	**2m**

Insulating, electrically non-conductive - no earthing required



67320

Unex Insulating Cable Ladder 135x300 U23X Grey

Perforated Rung Ladder

Size (W x H)	**135 x 300mm**
Length	**3m**
Rung Spacing	**300mm**
Support Span (40°C)	**3m**

Insulating, electrically non-conductive - no earthing required

Insulating Cable Ladder 67 (continued)

U23X PVC, grey RAL 7035, 3m lengths, rungs every 300mm.



67400

Unex Insulating Cable Ladder 85x400 U23X Grey

Perforated Rung Ladder

Size (W x H)	**85 x 400mm**
Length	**3m**
Rung Spacing	**300mm**
Support Span (40°C)	**2m**

Insulating, electrically non-conductive - no earthing required



67420

Unex Insulating Cable Ladder 135x400 U23X Grey

Perforated Rung Ladder

Size (W x H)	**135 x 400mm**
Length	**3m**
Rung Spacing	**300mm**
Support Span (40°C)	**3m**

Insulating, electrically non-conductive - no earthing required



67500

Unex Insulating Cable Ladder 85x500 U23X Grey

Perforated Rung Ladder

Size (W x H)	**85 x 500mm**
Length	**3m**
Rung Spacing	**300mm**
Support Span (40°C)	**2m**

Insulating, electrically non-conductive - no earthing required



67520

Unex Insulating Cable Ladder 135x500 U23X Grey

Size (W x H)	**135 x 500mm**
Standard Length	**3m**
Support Span @ 40°C	**3m**
Material	**U23X (PVC)**

Non-metallic, fully insulating PVC construction



67600

Unex Insulating Cable Ladder 85x600 U23X Grey

Size (W x H)	**85 x 600mm**
Standard Length	**3m**
Support Span @ 40°C	**2m**
Material	**U23X (PVC)**

Non-metallic, fully insulating PVC construction



67620

Unex Insulating Cable Ladder 135x600 U23X Grey

Size (W x H)	**135 x 600mm**
Standard Length	**3m**
Support Span @ 40°C	**3m**
Material	**U23X (PVC)**

Non-metallic, fully insulating PVC construction

Cable Tray 66 Accessories

Connectors, corners, covers, supports and strut for tray 66.



6 part numbers

Junctions & hinge connectors

Direction-change connectors for every transition in a tray run: straight joints, corners, horizontal and vertical hinges, and up or down level changes.

- Junction with bolts **66824**
- Corner junction **66841**
- Horizontal hinge **66844**
- Vertical hinge **66813**
- Downwards junction **66842**
- Upwards junction **66843**

Fire rating **Class M1, UL94 V0**



6 part numbers

Flat corner 90°

Preformed flat 90-degree section for clean horizontal direction changes without on-site fabrication.

- 75mm **66060**
- 100mm **66110**
- 150mm **66160**
- 200mm **66210**
- 300mm **66310**
- 400mm **66410**



6 part numbers

Flat corner cover

Snaps over the flat corner section to complete the enclosure at the change of direction, with no fasteners.

- 75mm **66061**
- 100mm **66111**
- 150mm **66161**
- 200mm **66211**
- 300mm **66311**
- 400mm **66411**



6 part numbers

End cover

Closes off the open end of a tray run for a clean, safe finish.

- 75mm **66093**
- 100mm **66113**
- 150mm **66163**
- 200mm **66213**
- 300mm **66313**
- 400mm **66413**



6 part numbers

Joint cover

Covers straight-run joints along the top of the tray for a continuous finish.

- 75mm **66094**
- 100mm **66114**
- 150mm **66164**
- 200mm **66214**
- 300mm **66314**
- 400mm **66414**



66845

Cover fixing IK10

Impact-rated clip that locks the tray cover in place in high-traffic or vandal-prone areas.

Impact rating **IK10**

Cable Tray 66 Accessories (continued)

Connectors, corners, covers, supports and strut for tray 66.



2 part numbers

Base reinforcing plates

Fits under the base of wide trays to limit cable sag and add rigidity, helping the installation comply with EN 61537.

- 300 and 400mm trays **66820**
- 500 and 600mm trays **66830**



6 part numbers

Vertical support

Halogen-free PVC bracket for mounting tray 66 vertically on walls and structures.

- 75mm **66075**
- 150mm **66155**
- 200mm **66205**
- 300mm **66305**
- 400mm **66405**
- 600mm **66605**




7 part numbers

Horizontal support

Halogen-free insulating wall or structure bracket that carries the tray horizontally and…

- 75/100mm **60103-44**
- 150mm **60153-44**
- 200mm **60203-44**
- 300mm **60303-44**
- 400mm **60403-44**
- 500mm **60503-44**
- 600mm **60603-44**



2 part numbers

Insulating strut channel

Heavy-duty halogen-free channel for mounting brackets, supports and fixings.

- 25 x 50 x 2000mm **60202-44**
- 50 x 50 x 2000mm **60204-44**

Cable Ladder 67 Accessories

Junctions, hinges, dividers and fixings for ladder 67.




3 part numbers

Junctions

Joins straight runs of ladder and absorbs thermal expansion along the run.

- 85mm **67825-04**
- 135mm **67834-04**
- 135mm large **67835-04**

Fire rating **Class M1, UL94 V0**



2 part numbers

Horizontal hinges

Allows horizontal angle changes in the ladder run without cutting.

- 85mm **67844-04**
- 135mm **67854-04**

Fire rating **Class M1, UL94 V0**

Cable Ladder 67 Accessories (continued)

Junctions, hinges, dividers and fixings for ladder 67.



2 part numbers

Vertical hinges

Allows the ladder run to rise or drop at an angle without cutting.

85mm **67813-04** | 135mm **67833-04**

Fire rating	**Class M1, UL94 V0**




2 part numbers

Dividers

Separates power and data cables within the run.

Divider 60mm **66821**

Reinforced divider 60mm **66826**



67812-48

Reinforced support fixing

Fixes the ladder to its mounting support with screws (not included).

Material	**U48X halogen free**



67822-48

Reinforced hold-down bracket

Secures the ladder rungs to the support and stops lateral movement in vertical or high-vibration installations.

Material	**U48X halogen free**



67845-44

Cover fixing

Clips the ladder cover in place so it cannot lift or be knocked off.

Material	**U48X halogen free**



67855-48

Unex Raised Cover Clamp U48X (Halogen Free)

Raised Cover Clamp

Fits	**All Cable Ladder 67 sizes: 200 to 600mm wide, 85 and 135mm high**
Material	**U48X, halogen free (100% recycled thermoplastic)**

One part suits all Unex Cable Ladder 67 sizes

1300 302 249
sales@cableduct.com.au
www.cableduct.com.au

Fixings & Fasteners

Insulating, stainless (A4) and galvanised (C6) fixings for tray and ladder.



66809

Insulating nut and bolt

Insulating DIN 603 M8 x 20 nut and bolt for joining tray 66 sections and fittings.

Material	**U23X insulating PVC, grey RAL 7035**



66819

M8 bolt cap

Covers exposed M8 bolt threads and heads on tray and ladder installations, removing sharp edges and giving a neat finish.

Material	**LDPE, grey**



67001-44

Cable clamp

Screwless clamp for fixing cables and conduit to the sides or struts of tray 66, ladder 67 or insulating strut channel.

Material	**U48X halogen free**




2 part numbers

Bolt with nut, DIN 603 M8 x 25

For fixing trays to insulating supports, fitting junctions, hinges, dividers and finishing parts, and fixing hold-down brackets to ladders.

- AISI 316 stainless steel **66839-A4**
- Galvanised Class 6 **66839-C6**



2 part numbers

Spring channel nut M8

Joins tray 66 and ladder 67 to insulating strut channel, rooftop supports or metal strut channel to BS 6946.

- AISI 316 stainless steel **60710-A4**
- Galvanised Class 6 **60710-C6**



4 part numbers

Bolt, DIN 6921 M8 (no nut)

Fixes trays and ladders to strut channel with spring channel nut 60710, fits dividers to ladder 67 and fixes trays and ladders to rooftop supports.

- M8 x 25 stainless **60829-A4**
- M8 x 25 galvanised **60829-C6**
- M8 x 35 stainless **60849-A4**
- M8 x 35 galvanised **60849-C6**

Fixings & Fasteners (continued)

Insulating, stainless (A4) and galvanised (C6) fixings for tray and ladder.



8 part numbers

Bolt with nut, DIN 6921 M8

Flange bolt and nut for fixing trays to supports, fitting junctions, hinges, dividers and…

- M8 x 25 stainless **66829-A4**
- M8 x 25 galvanised **66829-C6**
- M8 x 35 stainless **66849-A4**
- M8 x 35 galvanised **66849-C6**
- M8 x 50 stainless **66859-A4**
- M8 x 50 galvanised **66859-C6**
- M8 x 70 stainless **66879-A4**
- M8 x 70 galvanised **66879-C6**

Part Number Index

All 109 Unex part numbers in this catalogue.

Part Number	Description	Section
66090	Unex Perforated Insulating Cable Tray 60x75 U23X Grey	Perforated Insulating Cable Tray 66 — 60mm high
66100	Unex Perforated Insulating Cable Tray 60x100 U23X Grey	Perforated Insulating Cable Tray 66 — 60mm high
66150	Unex Perforated Insulating Cable Tray 60x150 U23X Grey	Perforated Insulating Cable Tray 66 — 60mm high
66200	Unex Perforated Insulating Cable Tray 60x200 U23X Grey	Perforated Insulating Cable Tray 66 — 60mm high
66300	Unex Perforated Insulating Cable Tray 60x300 U23X Grey	Perforated Insulating Cable Tray 66 — 60mm high
66400	Unex Perforated Insulating Cable Tray 60x400 U23X Grey	Perforated Insulating Cable Tray 66 — 60mm high
66220	Unex Perforated Insulating Cable Tray 100x200 U23X Grey	Perforated Insulating Cable Tray 66 — 100mm high
66320	Unex Perforated Insulating Cable Tray 100x300 U23X Grey	Perforated Insulating Cable Tray 66 — 100mm high
66420	Unex Perforated Insulating Cable Tray 100x400 U23X Grey	Perforated Insulating Cable Tray 66 — 100mm high
66520	Unex Perforated Insulating Cable Tray 100x500 U23X Grey	Perforated Insulating Cable Tray 66 — 100mm high
66620	Unex Perforated Insulating Cable Tray 100x600 U23X Grey	Perforated Insulating Cable Tray 66 — 100mm high
66072	Unex Cover 75mm U23X Grey	Covers
66102	Unex Cover 100mm U23X Grey	Covers
66152	Unex Cover 150mm U23X Grey	Covers
66202	Unex Cover 200mm U23X Grey	Covers
66302	Unex Cover 300mm U23X Grey	Covers
66402	Unex Cover 400mm U23X Grey	Covers
66502	Unex Cover 500mm U23X Grey	Covers
66602	Unex Cover 600mm U23X Grey	Covers
67200	Unex Insulating Cable Ladder 85x200 U23X Grey	Insulating Cable Ladder 67
67220	Unex Insulating Cable Ladder 135x200 U23X Grey	Insulating Cable Ladder 67
67300	Unex Insulating Cable Ladder 85x300 U23X Grey	Insulating Cable Ladder 67

Part Number Index (continued)

All 109 Unex part numbers in this catalogue.

Part Number	Description	Section
67320	Unex Insulating Cable Ladder 135x300 U23X Grey	Insulating Cable Ladder 67
67400	Unex Insulating Cable Ladder 85x400 U23X Grey	Insulating Cable Ladder 67
67420	Unex Insulating Cable Ladder 135x400 U23X Grey	Insulating Cable Ladder 67
67500	Unex Insulating Cable Ladder 85x500 U23X Grey	Insulating Cable Ladder 67
67520	Unex Insulating Cable Ladder 135x500 U23X Grey	Insulating Cable Ladder 67
67600	Unex Insulating Cable Ladder 85x600 U23X Grey	Insulating Cable Ladder 67
67620	Unex Insulating Cable Ladder 135x600 U23X Grey	Insulating Cable Ladder 67
66824	Junctions & hinge connectors, Junction with bolts	Cable Tray 66 Accessories
66841	Junctions & hinge connectors, Corner junction	Cable Tray 66 Accessories
66844	Junctions & hinge connectors, Horizontal hinge	Cable Tray 66 Accessories
66813	Junctions & hinge connectors, Vertical hinge	Cable Tray 66 Accessories
66842	Junctions & hinge connectors, Downwards junction	Cable Tray 66 Accessories
66843	Junctions & hinge connectors, Upwards junction	Cable Tray 66 Accessories
66060	Flat corner 90°, 75mm	Cable Tray 66 Accessories
66110	Flat corner 90°, 100mm	Cable Tray 66 Accessories
66160	Flat corner 90°, 150mm	Cable Tray 66 Accessories
66210	Flat corner 90°, 200mm	Cable Tray 66 Accessories
66310	Flat corner 90°, 300mm	Cable Tray 66 Accessories
66410	Flat corner 90°, 400mm	Cable Tray 66 Accessories
66061	Flat corner cover, 75mm	Cable Tray 66 Accessories
66111	Flat corner cover, 100mm	Cable Tray 66 Accessories
66161	Flat corner cover, 150mm	Cable Tray 66 Accessories
66211	Flat corner cover, 200mm	Cable Tray 66 Accessories
66311	Flat corner cover, 300mm	Cable Tray 66 Accessories
66411	Flat corner cover, 400mm	Cable Tray 66 Accessories
66093	End cover, 75mm	Cable Tray 66 Accessories
66113	End cover, 100mm	Cable Tray 66 Accessories
66163	End cover, 150mm	Cable Tray 66 Accessories
66213	End cover, 200mm	Cable Tray 66 Accessories
66313	End cover, 300mm	Cable Tray 66 Accessories
66413	End cover, 400mm	Cable Tray 66 Accessories
66094	Joint cover, 75mm	Cable Tray 66 Accessories
66114	Joint cover, 100mm	Cable Tray 66 Accessories
66164	Joint cover, 150mm	Cable Tray 66 Accessories
66214	Joint cover, 200mm	Cable Tray 66 Accessories
66314	Joint cover, 300mm	Cable Tray 66 Accessories
66414	Joint cover, 400mm	Cable Tray 66 Accessories

Part Number Index (continued)

All 109 Unex part numbers in this catalogue.

Part Number	Description	Section
66820	Base reinforcing plates, 300 and 400mm trays	Cable Tray 66 Accessories
66830	Base reinforcing plates, 500 and 600mm trays	Cable Tray 66 Accessories
66075	Vertical support, 75mm	Cable Tray 66 Accessories
66155	Vertical support, 150mm	Cable Tray 66 Accessories
66205	Vertical support, 200mm	Cable Tray 66 Accessories
66305	Vertical support, 300mm	Cable Tray 66 Accessories
66405	Vertical support, 400mm	Cable Tray 66 Accessories
66605	Vertical support, 600mm	Cable Tray 66 Accessories
60103-44	Horizontal support, 75/100mm	Cable Tray 66 Accessories
60153-44	Horizontal support, 150mm	Cable Tray 66 Accessories
60203-44	Horizontal support, 200mm	Cable Tray 66 Accessories
60303-44	Horizontal support, 300mm	Cable Tray 66 Accessories
60403-44	Horizontal support, 400mm	Cable Tray 66 Accessories
60503-44	Horizontal support, 500mm	Cable Tray 66 Accessories
60603-44	Horizontal support, 600mm	Cable Tray 66 Accessories
60202-44	Insulating strut channel, 25 x 50 x 2000mm	Cable Tray 66 Accessories
60204-44	Insulating strut channel, 50 x 50 x 2000mm	Cable Tray 66 Accessories
67825-04	Junctions, 85mm	Cable Ladder 67 Accessories
67834-04	Junctions, 135mm	Cable Ladder 67 Accessories
67835-04	Junctions, 135mm large	Cable Ladder 67 Accessories
67844-04	Horizontal hinges, 85mm	Cable Ladder 67 Accessories
67854-04	Horizontal hinges, 135mm	Cable Ladder 67 Accessories
67813-04	Vertical hinges, 85mm	Cable Ladder 67 Accessories
67833-04	Vertical hinges, 135mm	Cable Ladder 67 Accessories
66821	Dividers, Divider 60mm	Cable Ladder 67 Accessories
66826	Dividers, Reinforced divider 60mm	Cable Ladder 67 Accessories
67812-48	Reinforced support fixing	Cable Ladder 67 Accessories
67822-48	Reinforced hold-down bracket	Cable Ladder 67 Accessories
67845-44	Cover fixing	Cable Ladder 67 Accessories
67855-48	Unex Raised Cover Clamp U48X (Halogen Free)	Cable Ladder 67 Accessories
66809	Insulating nut and bolt	Fixings & Fasteners
66819	M8 bolt cap	Fixings & Fasteners
67001-44	Cable clamp	Fixings & Fasteners
66839-A4	Bolt with nut, DIN 603 M8 x 25, AISI 316 stainless steel	Fixings & Fasteners
66839-C6	Bolt with nut, DIN 603 M8 x 25, Galvanised Class 6	Fixings & Fasteners
60710-A4	Spring channel nut M8, AISI 316 stainless steel	Fixings & Fasteners
60710-C6	Spring channel nut M8, Galvanised Class 6	Fixings & Fasteners

Part Number Index (continued)

All 109 Unex part numbers in this catalogue.

Part Number	Description	Section
60829-C6	Bolt, DIN 6921 M8 (no nut), M8 x 25 galvanised	Fixings & Fasteners
60849-A4	Bolt, DIN 6921 M8 (no nut), M8 x 35 stainless	Fixings & Fasteners
60849-C6	Bolt, DIN 6921 M8 (no nut), M8 x 35 galvanised	Fixings & Fasteners
66829-A4	Bolt with nut, DIN 6921 M8, M8 x 25 stainless	Fixings & Fasteners
66829-C6	Bolt with nut, DIN 6921 M8, M8 x 25 galvanised	Fixings & Fasteners
66849-A4	Bolt with nut, DIN 6921 M8, M8 x 35 stainless	Fixings & Fasteners
66849-C6	Bolt with nut, DIN 6921 M8, M8 x 35 galvanised	Fixings & Fasteners
66859-A4	Bolt with nut, DIN 6921 M8, M8 x 50 stainless	Fixings & Fasteners
66859-C6	Bolt with nut, DIN 6921 M8, M8 x 50 galvanised	Fixings & Fasteners
66879-A4	Bolt with nut, DIN 6921 M8, M8 x 70 stainless	Fixings & Fasteners
66879-C6	Bolt with nut, DIN 6921 M8, M8 x 70 galvanised	Fixings & Fasteners

For quotes, stock and technical assistance email sales@cableduct.com.au or call 1300 302 249. Dimensions and specifications are nominal and may change without notice.