




CF SERIES FIBRE TRAY & DUCTING RACEWAY — CF240 (240MM WIDE)

CF240 Fibre Tray & Ducting Raceway — Complete System (240mm)

CF240 SERIES



The CF240 Fibre Tray and Ducting Raceway is a fully enclosed modular system for protecting and routing fibre optic patch cords in data centres, telecommunications rooms, and structured cabling environments.

The 240mm wide profile handles medium fibre counts. The complete fitting range — 90° elbows, tees, crosses, and vertical risers — allows routing in any direction. Covers are snap-fit and tool-free for fast access during adds, moves, and changes.

Straight tray sections are Yellow PVC; all fittings are ABS. Flame-retardant GB/T2048-2008 FV-0. This datasheet covers all CF240 system components.

TECHNICAL SPECIFICATIONS

System Reference	CF240 SERIES
Tray Body Part No.	CF240-2000
Internal Width	240mm
Internal Height	100mm
Section Length	2,000mm
Tray Material	Extruded Yellow PVC
Fitting Material	ABS
Colour	Yellow
Flame Retardant	GB/T2048-2008 FV-0
Total Components	10 items in this series

DIMENSIONS

Tray body: W 240 × H 100 × L 2,000 mm	
INTERNAL WIDTH 240 mm	INTERNAL HEIGHT 100 mm
SECTION LENGTH 2000 mm	FITTING MATERIAL ABS

KEY FEATURES

- Fully enclosed system protects fragile fibre patch cords from physical damage
- Snap-fit cover removes tool-free for easy access without disturbing adjacent runs
- Complete fitting range: 90° elbows, tees, crosses, and vertical risers
- Flame-retardant rated GB/T2048-2008 FV-0 for safety compliance
- Yellow PVC straight sections with ABS fittings throughout
- Yellow colour-coding for identification in mixed cable environments
- Modular — extend, reroute, or service runs independently

TYPICAL APPLICATIONS

✓ Data centres & server rooms	✓ Telecommunications rooms & ODFs
✓ Structured cabling riser runs	✓ Network cabinet patch cord routing
✓ Office & campus fibre distribution	✓ Hospital & education infrastructure




CF SERIES FIBRE TRAY & DUCTING RACEWAY — CF240 (240MM WIDE) — SYSTEM COMPONENTS & ACCESSORIES

CF240 Fibre Tray & Ducting Raceway — Complete System (240mm)

CF240 SERIES

COMPLETE SYSTEM — TRAY, COVER & ALL ACCESSORIES (10 ITEMS)



CF240-2000

CF240 Fibre Tray Section

240W × 100H × 2000mm Yellow PVC body



CF240-CNT

Fibre Tray Connector

Section joiner / coupler 240w



CF240-ELB90

Elbow 90°


Horizontal 90° bend fitting 240w



CF240-ELB90COV

Horizontal Bend Cover 90°

Cover for 90° bend 240w



CF240-TEE

Horizontal Tee


T-junction fitting 240w



CF240-HTC120CVR

Horizontal Tee Cover 240-120w

Cover for horizontal tee 240-120w



CF240-CRS

Horizontal Cross

4-way horizontal cross 240w



CF240-ERS45

45° Ext. Vertical Riser

External vertical riser 45° 240w



CF240-ERS45COV

45° Ext. Riser Cover

Cover for external riser 45° 240w



CF240-IRS45

45° Int. Vertical Riser

Internal vertical riser 45° 240w



CF SERIES FIBRE TRAY & DUCTING RACEWAY — CF240 (240MM WIDE) — ORDERING INFORMATION & COMPLIANCE

CF240 Fibre Tray & Ducting Raceway — Complete System (240mm)

CF240 SERIES

FULL ORDERING INFORMATION

Part No.	Description	Notes
CF240-2000	CF240 Fibre Tray Section — 240W × 100H × 2000mm Yellow PVC body	Per length
CF240-CNT	Fibre Tray Connector — Section joiner / coupler 240w	1 per tray joint
CF240-ELB90	Elbow 90° — Horizontal 90° bend fitting 240w	As required
CF240-ELB90COV	Horizontal Bend Cover 90° — Cover for 90° bend 240w	As required
CF240-TEE	Horizontal Tee — T-junction fitting 240w	As required
CF240-HTC120CVR	Horizontal Tee Cover 240-120w — Cover for horizontal tee 240-120w	As required
CF240-CRS	Horizontal Cross — 4-way horizontal cross 240w	As required
CF240-ERS45	45° Ext. Vertical Riser — External vertical riser 45° 240w	As required
CF240-ERS45COV	45° Ext. Riser Cover — Cover for external riser 45° 240w	As required
CF240-IRS45	45° Int. Vertical Riser — Internal vertical riser 45° 240w	As required

NOTES & COMPLIANCE

Covers: Cover is snap-fit and included. All fittings include separate cover accessories where applicable — refer to the ordering table above.

Material note: Straight tray sections (CF240-2000) are Yellow PVC. All fittings and accessories are ABS. Flame-retardant rated **GB/T2048-2008 FV-0**.

CF Series ecosystem: The CF240 fits within the broader CF series (CF120–CF600). Cross-size tee and reducer fittings allow interconnection between sizes in the same installation. For design assistance, volume pricing, or project quotes contact Cableaway on **1300 883 452** or sales@cableaway.com.au.

Cableaway reserves the right to alter specifications without notice.



CF240 FIBRE TRAY SERIES — FIBRE TRAY ACCESSORIES

Fibre Tray Accessories | Compatible with CF120, CF240, CF300, CF360 & CF600 Series | cableaway.com.au




Fibre Cable Tray Outlet
120mm

Movable cable exit for 120mm wide fibre trays. Allows cables to exit at any point along the tray run.



Fibre Cable Tray Outlet
55mm

Movable cable exit for 55mm wide fibre trays. Slides along the tray for flexible positioning.



Fibre Tray Fixing Screw Set
Thumb Screw + Diamond Nut

Fixing set for securing fibre tray sections. Includes thumb screw and diamond nut for tool-free installation.



Fibre Cable Tray Tube
42mm

Protective tube for routing cables out of the fibre tray. 42mm diameter.



Fibre Cable Tray Tube
56mm

Protective tube for routing cables out of the fibre tray. 56mm diameter.



Fibre Cable Tray Tube
80mm

Protective tube for routing cables out of the fibre tray. 80mm diameter.



Hook & Loop Cable Tie Roll
30m Roll

Reusable soft velcro cable tie in a 30m roll. Cut to length for neat fibre patch cord bundling.



Fibre Tray Hanging Set
240mm Wide

Suspension kit for hanging 240mm wide CF series fibre trays from overhead structures.



Fibre Tray Hanging Set
120mm Wide

Suspension kit for hanging 120mm wide CF series fibre trays from overhead structures.