Lockout Tagout Safety Devices

Complete LOTO Range — Circuit Breaker, Cable, Hasp, Plug, Padlock & Tag Solutions

Cableaway's complete range of Lockout Tagout (LOTO) devices is designed to keep workers safe by ensuring energy sources are positively isolated before maintenance, testing, or service work begins. From single-pole MCB lockouts to multi-trade hasp systems, plug lockouts, safety padlocks, and durable lockout tags — every product in this range is built for Australian worksites and compliant with AS/NZS 4836.

PRODUCT RANGE OVERVIEW

CIRCUIT BREAKER LOCKOUT DEVICES

LOMCB1 LOMCB2 LOMCB3 LOMCB5 LOMCB6

LOMCBSSCALE LOMCBSCH LOMCBMFW

LOMCBPOSTD LOMCBPISTD

LODHL LOMCBAL1 LOMCBLSTW

LOMCBMF

PLUG & BAG LOCKOUTS

LOPLS LOPLBS

HASP, CABLE & VALVE LOCKOUTS

LONYHASP LOSIMCABLELOCK

LOCABLELOCK LOSAFETYHASP

SAFETY PADLOCKS

LOPADLOCK LOPADLOCKKA

TAGS & ACCESSORIES

LOTAG LOPEN LOTAGOOS

Compliance & Standards: All Cableaway lockout tagout products are designed for use in compliant LOTO programs per **AS/NZS 4836 — Safe Working on Low-Voltage Electrical Installations**. Lockout devices must always be used with an appropriate padlock. Tags must accompany a physical lockout device — never as a standalone isolation method. Always follow site-specific isolation procedures and relevant state WHS legislation.

How to Order: Contact Cableaway on **1300 883 452** or visit **cableaway.com.au** to order online. All products available from stock. For volume pricing, project quotes or LOTO kit builds, contact our sales team at sales@cableaway.com.au.

Single Pole Miniature Circuit Breaker Lockout

LOMCB1

Fits single-pole MCB handles. Reinforced nylon, non-conductive body. Accepts 1–3 padlocks.

- Suits 1-pole MCBs
- Padlockable hasp
- Non-conductive nylon
- AS/NZS 4836 compliant

2 to 4 Pole Miniature Circuit Breaker Lockout

LOMCB2

Covers 2, 3 or 4-pole MCB handles simultaneously. Snap-fit locking mechanism, padlockable.

- Suits 2–4 pole MCBs
- Snap-fit mechanism
- Padlockable hasp
- Non-conductive nylon

Mini to Mid-Size Circuit Breaker Lockout

LOMCB3

Adjustable body fits mini to mid-size MCBs from multiple manufacturers. Single padlock hasp.

- Adjustable width
- Multi-brand MCB fit
- Single padlockable hasp
- Non-conductive

Large Size Circuit Breaker Lockout

LOMCB5

Designed for large MCBs and moulded case circuit breakers (MCCBs). Wide padlockable hasp.

- Suits large MCBs & MCCBs
- Wide-span hasp
- Multiple padlock capacity
- Non-conductive

Mini and Mid Size Circuit Breaker Lockout

LOMCB6

Versatile lockout covering both mini and mid-size MCB handles in a single adjustable device.

- Mini & mid-size MCB fit
- Adjustable clamping
- Padlockable hasp
- Non-conductive nylon

Small-Scale Circuit Breaker Lockout

LOMCBSSCALE

Compact lockout for small-scale MCBs and narrow-profile breakers. Lightweight and durable.

- Narrow MCB profile
- Compact design
- Padlockable
- Non-conductive nylon

Small-Scale Circuit Breaker Lockout — Schneider

LOMCBSCH

Specifically designed for Schneider Electric MCBs. Secure snap-fit locking with padlock hasp.

- Schneider MCB specific fit
- Snap-fit design
- Padlockable hasp
- Non-conductive

Multi-Function Circuit Breaker Lockout

LOMCBMFW

Universal multi-function lockout compatible with a broad range of MCB types and brands.

- Universal MCB compatibility
- Multi-function design
- Padlockable
- Non-conductive nylon

Miniature Circuit Breaker Lockout — Pin Out (Standard)

LOMCBPOSTD

Pin-out design engages the MCB toggle from the outside, securing the breaker in the OFF position.

- Pin-out toggle engagement
- Standard MCB fit
- Padlockable
- Non-conductive

Miniature Circuit Breaker Lockout — Pin In (Standard)

LOMCBPISTD

Pin-in design inserts through the MCB toggle hole to lock the breaker securely in OFF position.

- Pin-in toggle locking
- Standard MCB fit
- Padlockable
- Non-conductive

Double Head Lock

LODHL

Dual-head design locks adjacent MCB handles simultaneously. Ideal for double-pole isolation.

- Dual-head — 2 breakers
- Double-pole isolation
- Padlockable hasp
- Non-conductive nylon



Simple Circuit Breaker Lockout

LOMCBAL1

Economy single-pole MCB lockout. Quick to apply, padlockable, non-conductive nylon body.

- Economy MCB lockout
- Quick apply
- Single padlockable hasp
- Non-conductive

Twist-Screw Universal Circuit Breaker Lockout

LOMCBLSTW

Tool-free twist-screw lockout secures MCB & MCCB handles up to 12mm. Screw fully covered once locked.

- Tool-free twist-screw lock
- Suits MCB & MCCB ≤12mm
- Tamper-resistant covered screw
- Non-conductive nylon

Foot-Stop MCCB Circuit Breaker Lockout

LOMCBMF

Foot-stop design secures MCCB handles up to 20mm. Tool-free tightening screw, tamper-resistant once locked.

- Foot-stop MCCB design
- Suits handles ≤20mm
- Tool-free tightening screw
- Non-conductive nylon



Nylon Lockout HASP

LONYHASP

Nylon HASP accepts up to 6 padlocks simultaneously. Ideal for multi-trade LOTO procedures.

- Up to 6 padlocks
- Non-conductive nylon
- Multi-trade LOTO
- AS/NZS 4836 compliant

Simple Cable Lockout

LOSIMCABLELOCK

Insulated cable threads through multiple MCB handles to lock off a bank of breakers at once.

- Insulated cable
- Lock off multiple breakers
- Up to 6 padlocks
- Flexible deployment

Multipurpose Cable Lockout

LOCABLELOCK

Extended insulated cable for breakers, valves, handles and levers across diverse equipment types.

- Extended cable reach
- Breakers, valves & handles
- Multi-padlock capacity
- Flexible use

Steel Hasp with Hook

LOSAFETYHASP

Heavy-duty steel HASP with integrated hook. Superior strength for industrial environments.

- Heavy-duty steel
- Integrated hook
- Multi-padlock capacity
- Industrial grade

Mini Plug Lockout Box

LOPLS

Hexagonal clamshell box locks out plugs and cables up to 13mm diameter. Supports 2-worker group lockout.

- Dual-opening clamshell
- Suits plugs/cables ≤13mm
- 2 padlock holes
- Polypropylene body

Nylon Lockout Safety Bag

LOPLBS

Flexible nylon bag covers connectors, plugs and hoist controls. Fits up to 3 padlocks.

- Adjustable drawstring opening
- Fits up to 3 padlocks
- AS 4836 compliant
- -20°C to 90°C rated

Safety Padlock

LOPADLOCK

Individually keyed safety padlock with non-conductive body. One key per lock for personal LOTO accountability.

- Individually keyed
- Non-conductive body
- Steel shackle
- High-visibility red

Safety Padlock — Keyed Alike

LOPADLOCKKA

Keyed alike — one key opens all padlocks in the set. Ideal for supervisor-controlled LOTO programs.

- Keyed alike (same key)
- Supervisor LOTO control
- Non-conductive body
- Steel shackle

Back

Lockout Tag

LOTAG

High-visibility red lockout tag clearly communicates isolation status — who, when and why.

- High-visibility red
- LOTO identification
- Durable construction
- Cable tie attachment

Lock Out Tag Pens — PVC Black

LOPEN

Permanent black ink PVC markers for completing lockout tags clearly and permanently on site.

- Permanent black ink
- PVC barrel
- Moisture & UV resistant
- LOTAG compatible

Out of Service Lockout Tag

LOTAGOOS

Double-sided hazard-stripe tag records defects and full isolation details. Tear-resistant, weatherproof.

- Double-sided warning tag
- Defect/isolation record fields
- Tear-resistant & weatherproof
- Brass eyelet attachment

COMPLETE ORDERING REFERENCE — ALL PRODUCTS

Part Number	Product Name	Description
CIRCUIT BREAKER LOCKOUT DEVICES		
LOMCB1	**Single Pole Miniature Circuit Breaker Lockout**	Fits single-pole MCB handles. Reinforced nylon, non-conductive body. Accepts 1–3 padlocks.
LOMCB2	**2 to 4 Pole Miniature Circuit Breaker Lockout**	Covers 2, 3 or 4-pole MCB handles simultaneously. Snap-fit locking mechanism, padlockable.
LOMCB3	**Mini to Mid-Size Circuit Breaker Lockout**	Adjustable body fits mini to mid-size MCBs from multiple manufacturers. Single padlock hasp.
LOMCB5	**Large Size Circuit Breaker Lockout**	Designed for large MCBs and moulded case circuit breakers (MCCBs). Wide padlockable hasp.
LOMCB6	**Mini and Mid Size Circuit Breaker Lockout**	Versatile lockout covering both mini and mid-size MCB handles in a single adjustable device.
LOMCBSSCALE	**Small-Scale Circuit Breaker Lockout**	Compact lockout for small-scale MCBs and narrow-profile breakers. Lightweight and durable.
LOMCBSCH	**Small-Scale Circuit Breaker Lockout — Schneider**	Specifically designed for Schneider Electric MCBs. Secure snap-fit locking with padlock hasp.
LOMCBMFW	**Multi-Function Circuit Breaker Lockout**	Universal multi-function lockout compatible with a broad range of MCB types and brands.
LOMCBPOSTD	**Miniature Circuit Breaker Lockout — Pin Out (Standard)**	Pin-out design engages the MCB toggle from the outside, securing the breaker in the OFF position.
LOMCBPISTD	**Miniature Circuit Breaker Lockout — Pin In (Standard)**	Pin-in design inserts through the MCB toggle hole to lock the breaker securely in OFF position.
LODHL	**Double Head Lock**	Dual-head design locks adjacent MCB handles simultaneously. Ideal for double-pole isolation.
LOMCBAL1	**Simple Circuit Breaker Lockout**	Economy single-pole MCB lockout. Quick to apply, padlockable, non-conductive nylon body.
LOMCBLSTW	**Twist-Screw Universal Circuit Breaker Lockout**	Tool-free twist-screw lockout secures MCB & MCCB handles up to 12mm. Screw fully covered once locked.
LOMCBMF	**Foot-Stop MCCB Circuit Breaker Lockout**	Foot-stop design secures MCCB handles up to 20mm. Tool-free tightening screw, tamper-resistant once locked.

COMPLETE ORDERING REFERENCE — ALL PRODUCTS (CONT.)

Part Number	Product Name	Description
HASP, CABLE & VALVE LOCKOUTS		
LONYHASP	**Nylon Lockout HASP**	Nylon HASP accepts up to 6 padlocks simultaneously. Ideal for multi-trade LOTO procedures.
LOSIMCABLELOCK	**Simple Cable Lockout**	Insulated cable threads through multiple MCB handles to lock off a bank of breakers at once.
LOCABLELOCK	**Multipurpose Cable Lockout**	Extended insulated cable for breakers, valves, handles and levers across diverse equipment types.
LOSAFETYHASP	**Steel Hasp with Hook**	Heavy-duty steel HASP with integrated hook. Superior strength for industrial environments.
PLUG & BAG LOCKOUTS		
LOPLS	**Mini Plug Lockout Box**	Hexagonal clamshell box locks out plugs and cables up to 13mm diameter. Supports 2-worker group lockout.
LOPLBS	**Nylon Lockout Safety Bag**	Flexible nylon bag covers connectors, plugs and hoist controls. Fits up to 3 padlocks.
SAFETY PADLOCKS		
LOPADLOCK	**Safety Padlock**	Individually keyed safety padlock with non-conductive body. One key per lock for personal LOTO accountability.
LOPADLOCKKA	**Safety Padlock — Keyed Alike**	Keyed alike — one key opens all padlocks in the set. Ideal for supervisor-controlled LOTO programs.
TAGS & ACCESSORIES		
LOTAG	**Lockout Tag**	High-visibility red lockout tag clearly communicates isolation status — who, when and why.
LOPEN	**Lock Out Tag Pens — PVC Black**	Permanent black ink PVC markers for completing lockout tags clearly and permanently on site.
LOTAGOOS	**Out of Service Lockout Tag**	Double-sided hazard-stripe tag records defects and full isolation details. Tear-resistant, weatherproof.