



SD SERIES ALUMINIUM SKIRTING DUCT — 50 X 200MM 3-CHANNEL (SATIN BLACK)

50 x 200mm 3-Channel Aluminium Skirting Duct — Complete System (Satin Black)

SD50200-3CH-BLACK




Cableaway's SD Series skirting duct is the easiest way to house and distribute power and data cabling, from large commercial fit-outs to the small home office. It mounts directly to the wall with no building modifications required, giving a clean, flexible cable management system for now and into the future. The 50 x 200mm duct is available in 3-channel configuration, separating power from data/AV cabling along a 2.4m extruded aluminium length. It handles Cat5, Cat6 and Cat6A data cabling, and — using Cableaway's 45 Series multimedia outlets — audio/visual connections including microphone, HDMI, VGA and component video. This datasheet covers the complete 50 x 200mm system in Satin Black: duct body, both lid options, and the full accessory range needed for a finished installation.

TECHNICAL SPECIFICATIONS

System Reference	SD50200-3CH-BLACK
Duct Body Part No.	SD502003DB
Channels	3 (Power / Data separated)
Standard Length	2.4m
Body Material	Extruded Aluminium
Standard Finish	Satin Black Powder Coat
Other Finishes	Pearl White, Oyster Grey, Natural Anodised
Custom Finishes	Any Dulux / Interpon Powder Coat Colour
Mounting	Direct to Wall — Surface Mounted
Data Compatibility	Cat5E / Cat6 / Cat6A
AV Compatibility	45 Series Multimedia Outlets (HDMI, VGA, Audio, Component)

DUCT CROSS-SECTION



KEY FEATURES

- Extruded aluminium body — strong, lightweight, corrosion resistant
- 3-Channel design keeps power and data/AV cabling safely separated
- Surface wall-mounted — no chasing or building modification required
- Choice of Drop-In or Clip-On lid to suit installation preference
- Compatible with Cat5, Cat6 and Cat6A structured cabling
- Supports 45 Series multimedia outlets for AV connectivity
- Full accessory range: joiners, earthing kits, GPO/data shrouds, end caps, corners
- Standard finishes of Black, White, Grey and Natural Anodised, plus custom powder coat
- Fast, tool-minimal installation — free measure and quote available

LID OPTIONS

PART NO.	LID TYPE	NOTES
SDDL200B	Drop-In Lid	Lid drops into the duct body from above —flush tool-free fit 1.2mtr
SDCL200B	Clip-On Lid	Lid clips over the duct body edges —secure snap-fit closure 1.2mtr



SD SERIES ALUMINIUM SKIRTING DUCT — 50 X 200MM 3-CHANNEL (SATIN BLACK) —
SYSTEM COMPONENTS & ACCESSORIES

50 x 200mm 3-Channel Aluminium Skirting Duct — Complete System (Satin Black)

SD50200-3CH-BLACK

COMPLETE SYSTEM — BODY, LIDS & ACCESSORIES



SD502003DB

Duct Body (3 Channel) 2.4mtr

50 X 200mm X 2.4m 3 Channel Skirting Duct (satin Black) Duct Body Only



SDDL200B

Drop-In Lid Section 1.2mtr

50 X 200mm Drop In Lid Section (black)



SDCL200B

Clip-On Lid Section 1.2mtr

50 X 200mm Clip On Lid Section (satin Black)



Joiner / Earth Kit

SDJK50/60

Alignment Joiner Kit

Alignment Joiner Kit Suits 50/60w Skirting Duct



SDCFC200B

Clip-On Front Cover

Clip On Front Cover To Suit 200h Skirting Duct (satin Black) Powdercoat



SDPSK

GPO Shroud Kit

SD Series GPO Shroud Kit



SDDMK

Data / Voice Mount Kit

SD Series Data / Voice Mount Kit




Internal Earth Kit

SDIEK

Internal Butt Join Earthing Kit

Internal Butt Join Earthing Kit



External Corner Kit

SDCNR50200BKIT

Corner Kit

Corner Kit To Suit 50 X 200mm Skirting Duct Satin Black Powder Coat



SDBE50200B

Blank End

Blank End To Suit 50 x 200mm Skirting Duct Satin Black Powder Coat



SDDFC200A

Drop-In Front Cover

Clip On Front Cover To Suit 200h Skirting Duct Black



SD SERIES ALUMINIUM SKIRTING DUCT — 50 X 200MM 3-CHANNEL (SATIN BLACK) — ORDERING, FINISHES & COMPLIANCE


50 x 200mm 3-Channel Aluminium Skirting Duct — Complete System (Satin Black)

SD50200-3CH-BLACK

FULL ORDERING INFORMATION

	DESCRIPTION	NOTES
SD502003DB	Duct Body (3 Channel)	Per length — see specs
SDDL200B	Drop-In Lid Section	Per length — matches duct body
SDCL200B	Clip-On Lid Section	Per length — matches duct body
SDJK50/60	Alignment Joiner Kit	1 per duct joint
SDCFC200B	Clip-On Front Cover	As required
SDPSK	GPO Shroud Kit	1 per outlet location
SDDMK	Data / Voice Mount Kit	1 per outlet location
SDIEK	Internal Butt Join Earthing Kit	1 per duct joint
SDCNR50200BKIT	Corner Kit	1 per external/internal corner
SDBE50200B	Blank End	2 per duct run
SDDFC200A	Drop-In Front Cover	As required

AVAILABLE FINISHES

 Satin Black	 Pearl White	 Oyster Grey	 Natural Anodised
---	--	---	---

Compliance & Installation: Cableaway SD Series skirting duct is manufactured from extruded aluminium and finished to AS/NZS standards for surface-mounted cable management. Installation must be carried out by a licensed electrician where power circuits are involved, in accordance with AS/NZS 3000 Wiring Rules. Earth continuity accessories (Internal Butt Join Earthing Kit) must be fitted at every joint to maintain earth continuity along the duct run where metallic duct is used for power reticulation. Cableaway reserves the right to alter specifications without notice.

Custom finishes: in addition to the standard finishes shown, Cableaway can powder coat skirting duct components to any Dulux or Interpon colour on request — visit dulux.com.au or interpon.com.au for the full colour range, or call 1300 883 452.