



Better Cable Management



FB SERIES FLOOR OUTLET BOXES






Manage Cables Better

Cableaway's floor outlet boxes are an ideal way to supply power, data and A/V to open floors of a commercial office building or even within your home. The FB series floor outlet boxes come complete with a height adjustable lid, auto switched outlets, provision for data mechs (mechs by others) and a blank plate for A/V installation.



Features


- Height adjustable lid
- Flush or recess lid options
- Easy to remove lid section
- Dual cable exit flaps
- Lifting loop (for easy opening)
- Up to 4 auto switched outlets
- Modular configuration
- Bevelled and flush lid finishes
- Provision for up to 10 data






Manage Cables Better

FB Series Stainless Steel 19mm Recessed Lid Assembly




PART NUMBER : **FBSSR19LA**

FB Series Stainless Steel Flush Lid Assembly



PART NUMBER : **FBSSFLA**

FB Series Stainless Steel 9mm Recessed Lid Assembly



PART NUMBER : **FBSSRLA**

FB Series Plastic 9mm Recessed Lid Assembly




PART NUMBER : **FBPLA**


FB SERIES FLOOR OUTLET BOXES




Manage Cables Better




Temporary timber lid: **FBTEMP**




4 x Power Plate: **FBPP4P**




* Multimedia Plate: **FBMMP3G**




2 x Power Plate: **FBPP2P**



Blank AV Plate: **FBBP**



10 x Data Plate: **FBDP10G**



4 x Data Plate: **FBDP4G**

Specifications


- Floor box body manufactured from powder coated zinc annealed steel
- 20mm and 25mm knockouts provided for easy conduit entry
- Auto switched power outlet's supplied
- Provision for data
- Range of accessory plates available
- Floor box carcass dimensions: W 194 x L 227 x D 90mm
(D 111mm including the PL,SSF,SSR lid section)
(19mm lid section including carcass D 115mm)
- Floor box lid dimension W 220 x L 250mm

* please refer to multimedia catalouge for modules




Manage Cables Better

FB SERIES FLOOR OUTLET BOXES



Standard 4 power configuration



Standard 2 power configuration

Suggested Specification

Contractor shall supply Cableaway FB Series floor outlet box. The box will be complete with (eg: 4 x) power and (eg: 4 x) data with a (eg: stainless steel flush) lid section. Part Number (eg: FBSSF4P4D).

Description

Part Number

2 x power and provision for 4 x data 9mm recessed plastic lid	FBPL2P4D
4 x power and provision for 4 x data 9mm recessed plastic lid	FBPL4P4D
2 x power and provision for 4 x data stainless steel flush lid	FBSSF2P4D
4 x power and provision for 4 x data stainless steel flush lid	FBSSF4P4D
2 x power and provision for 4 x data stainless steel 9mm recessed lid	FBSSR2P4D
4 x power and provision for 4 x data stainless steel 9mm recessed lid	FBSSR4P4D
2 x power and provision for 4 x data stainless steel 19mm recessed lid	FBSS19R2P4D
4 x power and provision for 4 x data stainless steel 19mm recessed lid	FBSS19R4P4D

FLEXIBILITY
YOU WANT
WITH THE
LOOK THAT
YOU NEED



www.cableaway.com.au

.cable.
away

Better Cable Management



Better Cable Management

Cableaway Pty Ltd
Unit 8, 15 McPherson Road Smeaton Grange NSW 2567
ph: 02 8006 4244 fax: 02 4647 2050
www.cableaway.com.au