



BETTER CABLE MANAGEMENT

CABLEAWAY PTY LTD

PHONE & EMAIL

NEW SOUTH WALES

1300 883 452 or + 61 2 8006 4244

sales@cableaway.com.au

VICTORIA & TASMANIA

1300 883 452

sales@cableaway.com.au

QUEENSLAND & NORTHERN TERRITORY

1300 883 452

sales@cableaway.com.au

CABLEAWAY DISTRIBUTION AGENCIES

PHONE & EMAIL

SOUTH AUSTRALIA

Williams Mining & Industrial Sales Pty. Ltd.

Ph: +61 8 8268 5477

Fax: +61 8 8268 5433

info@williamsmining.com.au

WESTERN AUSTRALIA

B-TYPE Agencies Pty. Ltd.

Ph: +61 8 9209 2220

Fax: +61 8 9209 2229

saleswa@btype.com.au

NEW ZEALAND

TransNet NZ Ltd

+64 9 274 3340 or 0800 442 182

sales@transnet.co.nz

Connector Systems

+64 9 580 2800 or 0508 225 527

sales@connectorsystems.co.nz

FB SERIES PLASTIC LID FLOOR OUTLET BOXES


Cableaway's floor outlet boxes are an ideal way to supply power, data and A/V to open floors of a commercial office building or even within your home. The FB series floor outlet boxes come complete with a height adjustable lid, auto switched outlets, provision for data mechs (mechs by others) and a blank plate for A/V installation.



Part Number

Description

<i>FBPL2P4D</i>	<i>2 x Power & Provision for 4 Data</i>
<i>FBPL2P8D</i>	<i>2 x Power & Provision for 8 Data</i>
<i>FBPL2P10D</i>	<i>2 x Power & Provision for 10 Data</i>
<i>FBPL4P4D</i>	<i>4 x Power & Provision for 4 Data</i>
<i>FBPL4P8D</i>	<i>4 x Power & Provision for 8 Data</i>
<i>FBPL4P10D</i>	<i>4 x Power & Provision for 10 Data</i>



Plastic Lid 9mm Recess

<i>FBPL2STDO</i>	<i>Provision for 2 x Standard Outlet</i>
<i>FBPL2STDO2P2D</i>	<i>1 x Standard DGPO & 2 x Data</i>
<i>FBPL2STDO2P4D</i>	<i>1 x Standard DGPO & 4 x Data</i>
<i>FBPL2STDO2P6D</i>	<i>1 x Standard DGPO & 6 x Data</i>
<i>FBPL2STDO4P</i>	<i>2 x Standard DGPO</i>



Plastic Lid 6mm Recess

<i>FBRPL4P8D</i>	<i>4 x Power & Provision for 8 Data</i>
<i>FBRPL8P8D</i>	<i>8 x Power & Provision for 8 Data</i>



Plastic Lid 8mm Recess

FB SERIES STAINLESS STEEL FLUSH FLOOR OUTLET BOXES

Cableaway's floor outlet boxes are an ideal way to supply power, data and A/V to open floors of a commercial office building or even within your home. The FB series floor outlet boxes come complete with a height adjustable lid, auto switched outlets, provision for data mechs (mechs by others) and a blank plate for A/V installation.




BETTER CABLE MANAGEMENT



Part Number	Description	Lid Type
-------------	-------------	----------

Flush Stainless Steel Lid Section

<i>FBSSF2P4D</i>	<i>2 x Power & Provision for 4 Data</i>
<i>FBSSF2P8D</i>	<i>2 x Power & Provision for 8 Data</i>
<i>FBSSF2P10D</i>	<i>2 x Power & Provision for 10 Data</i>
<i>FBSSF4P4D</i>	<i>4 x Power & Provision for 4 Data</i>
<i>FBSSF4P8D</i>	<i>4 x Power & Provision for 8 Data</i>
<i>FBSSF4P10D</i>	<i>4 x Power & Provision for 10 Data</i>
<i>FBSSF6P5D</i>	<i>6 x Power & Provision for 5 Data</i>




Flush Square Edge Stainless Steel Lid Section

<i>FBSSF2P4D</i>	<i>2 x Power & Provision for 4 Data</i>
<i>FBSSF2P8D</i>	<i>2 x Power & Provision for 8 Data</i>
<i>FBSSF2P10D</i>	<i>2 x Power & Provision for 10 Data</i>
<i>FBSSF4P4D</i>	<i>4 x Power & Provision for 4 Data</i>
<i>FBSSF4P8D</i>	<i>4 x Power & Provision for 8 Data</i>
<i>FBSSF4P10D</i>	<i>4 x Power & Provision for 10 Data</i>
<i>FBSSF6P5D</i>	<i>6 x Power & Provision for 5 Data</i>



Flush Stainless Steel Lid Section Shallow Carcass

<i>FBSSF4P4DS50</i>	<i>4 x Power & Provision for 4 Data</i>
<i>FBSSF4P6DS50</i>	<i>4 x Power & Provision for 6 Data</i>



FB SERIES STAINLESS STEEL RECESS FLOOR OUTLET BOXES

Cableaway's floor outlet boxes are an ideal way to supply power, data and A/V to open floors of a commercial office building or even within your home. The FB series floor outlet boxes come complete with a height adjustable lid, auto switched outlets, provision for data mechs (mechs by others) and a blank plate for A/V installation.



BETTER CABLE MANAGEMENT




Part Number

Description

Lid Type


9mm Recess Stainless Steel Lid Section

<i>FBSSR2P4D</i>	<i>2 x Power & Provision for 4 Data</i>
<i>FBSSR2P8D</i>	<i>2 x Power & Provision for 8 Data</i>
<i>FBSSR2P10D</i>	<i>2 x Power & Provision for 10 Data</i>
<i>FBSSR4P4D</i>	<i>4 x Power & Provision for 4 Data</i>
<i>FBSSR4P8D</i>	<i>4 x Power & Provision for 8 Data</i>
<i>FBSSR4P10D</i>	<i>4 x Power & Provision for 10 Data</i>



14mm Recess Stainless Steel Lid Section

<i>FBSS14R2P4D</i>	<i>2 x Power & Provision for 4 Data</i>
<i>FBSS14R4P8D</i>	<i>4 x Power & Provision for 8 Data</i>
<i>FBSS14R4P10D</i>	<i>4 x Power & Provision for 10 Data</i>
<i>FBSS14R6P5D</i>	<i>6 x Power & Provision for 5 Data</i>
<i>FBSS14R4P4DS50</i>	<i>4 x Power & Provision for 4 Data</i>
<i>FBSS14R4P6DS50</i>	<i>4 x Power & Provision for 6 Data</i>
<i>FBSS14R2P4DS50</i>	<i>2 x Power & Provision for 4 Data</i>



19mm Recess Stainless Steel Lid Section

<i>FBSS19R2P4D</i>	<i>2 x Power & Provision for 4 Data</i>
<i>FBSS19R4P8D</i>	<i>4 x Power & Provision for 8 Data</i>
<i>FBSS19R4P10D</i>	<i>4 x Power & Provision for 10 Data</i>
<i>FBSS19R6P5D</i>	<i>6 x Power & Provision for 5 Data</i>
<i>FBSS19R4P4DS50</i>	<i>4 x Power & Provision for 4 Data</i>
<i>FBSS19R4P6DS50</i>	<i>2 x Power & Provision for 6 Data</i>
<i>FBSS19R2P4DS50</i>	<i>2 x Power & Provision for 4 Data</i>



FB145 SERIES FLOOR OUTLET BOXES

Cableaway's floor outlet boxes are an ideal way to supply power, data and A/V to open floors of a commercial office building or even within your home. The FB 145 Series floor outlet boxes come complete with a height adjustable lid, auto switched outlets or standard GPO and provision for data mechs (mechs by others).



BETTER CABLE MANAGEMENT

* SS = Stainless Steel * BR = Brass * F = Flush Finish



2 Power
3 Data




1 x
Standard
GPO



2 Power

Part Number	Description	
-------------	-------------	--

FB145SSF2P3D	2 x Power & Provision for 3 Data	 <p>* SSF Bevelled Edge</p>
--------------	----------------------------------	--


FB145SSF2PS65	2 x Power only (Shallow)
---------------	--------------------------

FB145SSF1STDO	1 x Standard DGPO
---------------	-------------------

FB145SSF2P3D-SE	2 x Power & Provision for 3 Data	 <p>* SSF Square Edge</p>
-----------------	----------------------------------	---

FB145SSF2PS65-SE	2 x Power only (Shallow)
------------------	--------------------------

FB145SSF1STDO-SE	1 x Standard DGPO
------------------	-------------------

FB145SSBF2P3D	2 x Power & Provision for 3 Data	 <p>* SSF (Black) Bevelled Edge</p>
---------------	----------------------------------	---

FB145SSBF2PS65	2 x Power only (Shallow)
----------------	--------------------------

FB145SSBF1STDO	1 x Standard DGPO
----------------	-------------------

FB145CSSF2P3D	2 x Power & Provision for 3 Data	 <p>* SSF Round Bevelled Edge</p>
---------------	----------------------------------	---

FB145SSCF2PS65	2 x Power only (Shallow)
----------------	--------------------------

FB145CSSF1STDO	1 x Standard DGPO
----------------	-------------------

FB145BRF2P3D	2 x Power & Provision for 3 Data	 <p>* BRF Bevelled Edge</p>
--------------	----------------------------------	---

FB145SSBRF2PS65	2 x Power only (Shallow)
-----------------	--------------------------


FB145SSBRF1STDO	1 x Standard DGPO
-----------------	-------------------

Softwire Floor Outlet Boxes

A fast and effective solution for the housing of power and data in to selected floor finishes.



(Screed or Raised floor boxes)



PART NO	DESCRIPTION	UNIT	COLOUR
---------	-------------	------	--------

Lid & Chassis Only

151900	Cardinal 64mm Chassis with Lid & Insert	EACH	GREY/RED
--------	---	------	----------

Screed Box

117030	Cardinal Screed Box	EACH	
--------	---------------------	------	--


Populated Chassis

151901	2 x 20 Amp Starter Sockets	EACH	GREY/RED
--------	----------------------------	------	----------

151902	1 x 20 Amp Starter Socket / 5 x Data Cutouts	EACH	GREY/RED
--------	--	------	----------

151903	4 x 10 Amp GPO-Qikfit / 5 x Data Cutouts	EACH	GREY/RED
--------	--	------	----------

151904	2 x 10 Amp GPO-Qikfit / 5 x Data Cutouts	EACH	GREY/RED
--------	--	------	----------



Lid & Chassis Only

163026	Condor 90mm Chassis with Lid & Insert	EACH	GREY/YELLOW
--------	---------------------------------------	------	-------------

163027	Condor 90mm Chassis with Lid & Insert with Grommet in Lid	EACH	GREY/YELLOW
--------	---	------	-------------

Screed Box

118490	Condor Screed Box	EACH	
--------	-------------------	------	--

Populated Chassis

163011	4 x 10 Amp GPO / 4 x Data Cutouts	EACH	GREY/YELLOW
--------	-----------------------------------	------	-------------

163014	4 x 10 Amp GPO / 4 x Data Cutouts / 1 x MAAP Adaptor Plate containing 2 x Double MAAP	EACH	GREY/YELLOW
--------	---	------	-------------

163017	8 x 10 Amp GPO Single Circuit with 300mm Interconnecting Lead	EACH	GREY/YELLOW
--------	---	------	-------------



Adaptor Plates

209422	MAAP Adaptor Plate Containing 2 x Double MAAP Cutouts	EACH	GREY/YELLOW
--------	---	------	-------------

Other configuration available upon request

Floor Pedestal Outlets

Cableaways Floor pedestal outlets are a cost effective and simple way to provide power or data to a floor or table surface.



Part Number

Description

Floor Pedestal Outlets

FDB1STDO

1 x DGPO Outlet



FDB1STDOUSB

1 x DGPO and Dual USB



FDB2AGPO

2 x Auto Switched Outlet



FDB4AGPO

4 x Auto Switched Outlet



Pop Up Floor / Table Boxes

Cableaway pop up floor / table outlet boxes come complete with an IP44 rated stainless steel / Aluminium flush lid and a single or double auto switched outlet. Cableaways innovative pop up outlets provide a discrete and tidy appearance when not in use. Pop ups are suitable for any office or home environment



BETTER CABLE MANAGEMENT



Part Number

Description

Lid Type

Stainless Steel Pop up Outlet

PUSSF1P

1 x Auto switched Outlet




Aluminium Pop up Outlet

PUALF2P

2 x Auto Switched Outlet



MANAGE CABLES BETTER WITH PROMESH



Better Cable Management

SD Series Skirting Duct


From large commercial offices to your small home office, Cableaway's skirting duct range is by far the easiest method of housing and distribution of power and data cabling. With direct mounting to your walls, Cableaway's skirting duct is quickly, easily and cleanly installed, making no modifications to your building. Available with internal/external corner pieces, premade blanking ends and a choice of clip-on or drop-in lids, Cableaway's skirting duct provides a flexible cable distribution system for now and into the future.



BETTER CABLE MANAGEMENT


SD 40 x 150 Duct Body

- SD401502DA 40 X 150mm X 2.4m 2 CHANNEL SKIRTING DUCT (NATURAL ANODISED)
- SD401502DB 40 X 150mm X 2.4m 2 CHANNEL SKIRTING DUCT (BLACK)
- SD401502DW 40 X 150mm X 2.4m 2 CHANNEL SKIRTING DUCT (WHITE)
- SD401502DO 40 X 150mm X 2.4m 2 CHANNEL SKIRTING DUCT (OYSTER GREY)



SD 50 x 150 Duct Body

- SD501502DA 50 X 150mm X 2.4m 2 CHANNEL SKIRTING DUCT (NATURAL ANODISED)
- SD501502DB 50 X 150mm X 2.4m 2 CHANNEL SKIRTING DUCT (BLACK)
- SD501502DW 50 X 150mm X 2.4m 2 CHANNEL SKIRTING DUCT (WHITE)
- SD501502DO 50 X 150mm X 2.4m 2 CHANNEL SKIRTING DUCT (OYSTER GREY)
- SD501503DA 50 X 150mm X 2.4m 3 CHANNEL SKIRTING DUCT (NATURAL ANODISED)
- SD501503DB 50 X 150mm X 2.4m 3 CHANNEL SKIRTING DUCT (BLACK)
- SD501503DW 50 X 150mm X 2.4m 3 CHANNEL SKIRTING DUCT (WHITE)
- SD501503DO 50 X 150mm X 2.4m 3 CHANNEL SKIRTING DUCT (OYSTER GREY)



SD Series Clip on Lid

- SDCL150A CLIP ON LID TO SUIT 150h SD SKIRTING DUCT (NATURAL ANODISED)
- SDCL150B CLIP ON LID TO SUIT 150h SD SKIRTING DUCT (BLACK)
- SDCL150W CLIP ON LID TO SUIT 150h SD SKIRTING DUCT (WHITE)
- SDCL150O CLIP ON LID TO SUIT 150h SD SKIRTING DUCT (OYSTER GREY)



Other Powder Coated colour available upon request

SD Series Skirting Duct

From large commercial offices to your small home office, Cableaway's skirting duct range is by far the easiest method of housing and distribution of power and data cabling. With direct mounting to your walls, Cableaway's skirting duct is quickly, easily and cleanly installed, making no modifications to your building. Available with internal/external corner pieces, premade blanking ends and a choice of clip-on or drop-in lids, Cableaway's skirting duct provides a flexible cable distribution system for now and into the future.




SD Series Drop in Lid

SDDL150A	DROP IN LID TO SUIT 150h SD SKIRTING DUCT (NATURAL ANODISED)
SDDL150B	DROP IN LID TO SUIT 150h SD SKIRTING DUCT (BLACK)
SDDL150W	DROP IN LID TO SUIT 150h SD SKIRTING DUCT (WHITE)
SDDL150O	DROP IN LID TO SUIT 150h SD SKIRTING DUCT (OYSTER GREY)



SD Series GPO & Data Drop In Front Cover

SDCFC150A	DROP IN FRONT COVER TO SUIT 150h SKIRTING DUCT (NATURAL ANODISED)
SDCFC150B	DROP IN FRONT COVER TO SUIT 150h SKIRTING DUCT (BLACK)
SDCFC150W	DROP IN FRONT COVER TO SUIT 150h SKIRTING DUCT (WHITE)
SDCFC150O	DROP IN FRONT COVER TO SUIT 150h SKIRTING DUCT (OYSTER GREY)



SD Series GPO & Data Clip on Front Cover

SDCFC150A	CLIP ON FRONT COVER TO SUIT 150h SKIRTING DUCT (NATURAL ANODISED)
SDCFC150B	CLIP ON FRONT COVER TO SUIT 150h SKIRTING DUCT (BLACK)
SDCFC150W	CLIP ON FRONT COVER TO SUIT 150h SKIRTING DUCT (WHITE)
SDCFC150O	CLIP ON FRONT COVER TO SUIT 150h SKIRTING DUCT (OYSTER GREY)



Other Powder Coated colour available upon request



SD Series Skirting Duct

From large commercial offices to your small home office, Cableaway's skirting duct range is by far the easiest method of housing and distribution of power and data cabling. With direct mounting to your walls, Cableaway's skirting duct is quickly, easily and cleanly installed, making no modifications to your building. Available with internal/external corner pieces, premade blanking ends and a choice of clip-on or drop-in lids, Cableaway's skirting duct provides a flexible cable distribution system for now and into the future.



SD Series GPO Shroud

SDPSK GPO SHROUD KIT

SD Series Data Shroud

SDDMK DATA / VOICE MOUNTING KIT

SD Series External Corners

SDCNR40150A CORNER KIT TO SUIT 50 X 150mm SKIRTING DUCT (SILVER POWDER COAT)
SDCNR40150B CORNER KIT TO SUIT 50 X 150mm SKIRTING DUCT (BLACK)
SDCNR40150W CORNER KIT TO SUIT 50 X 150mm SKIRTING DUCT (WHITE)
SDCNR40150O CORNER KIT TO SUIT 50 X 150mm SKIRTING DUCT (OYSTER GREY)
SDCNR50150A CORNER KIT TO SUIT 50 X 150mm SKIRTING DUCT (SILVER POWDER COAT)
SSDCNR50150B CORNER KIT TO SUIT 50 X 150mm SKIRTING DUCT (BLACK)
SDCNR50150W CORNER KIT TO SUIT 50 X 150mm SKIRTING DUCT (WHITE)
SDCNR50150O CORNER KIT TO SUIT 50 X 150mm SKIRTING DUCT (OYSTER GREY)

SD Series Internal Corner

SDBEECJ INTERNAL / EXTERNAL CORNER BARRIER EXTENSION AND EARTH CONTINUITY JOINER

SD Series Internal Corner

SDJK40 ALIGNMENT JOINER KIT SUITS 40 x 150h SKIRTING DUCT
SDJK50 ALIGNMENT JOINER KIT SUITS 50 x 150h SKIRTING DUCT

Other Powder Coated colour available upon request



PVC Skirting Duct

Cableaway's PVC skirting duct range is by far the easiest way for housing and distribution of power and data cabling, from large commercial offices to schools as well as the home office.



BETTER CABLE MANAGEMENT



PACK	CAT. NOS	1-compartment trunking
16	10422	Trunking Complies with EN 50085-2-1 Can be associated with Arteor socket outlets and supports for 85 mm cover Contains: - 1 body 50 x 105 mm, length 2 m - 1 flexible cover 85 mm width Supplied in 8 lengths of 2 m Maximum section: 4300 mm ² per compartment
20	10522	Additional cover Width 85 mm Supplied in 10 lengths of 2 m
24	10582	Additional partition Separation partition Supplied in 12 lengths of 2 m
10	10802	Joints Cover joint for 85 mm cover
20	10692	Body joint, attached with adhesive (fit at the end of installation)

PACK	CAT. NOS	Accessories
50	10682	Clip Clip for holding cable in place
2	10691	Alignment Joiner
1	10916	Standard Outlet Support
1	10917	Standard Outlet back box

Angles		
10	10602	Internal angle Changeable internal angle, from 85° to 100°
10	10622	External angle Changeable external angle from 60° to 120°
10	10785	Flat angle 90° flat angle


Supports for Arteor mechanisms		
20	10992	2 modules
20	10993	3 modules
20	10994	4 modules
10	10996	6 modules
10	10998	8 modules

Junctions		
20	10702	Right or left end cap

Junctions		
5	10736	Flat angle For a junction to a 105 mm wide trunking equipped with a 85 mm cover
5	10763	Angled junctions For a junction to 50 x 105 trunking To be associated with an internal angle Cat.No 106 02


SP Series Service Column

Cableaway's service columns are a quick and easy way to supply power, data or AV from any ceiling space to a desk, workstation, under bench area, retail outlet floor, school classrooms, university study spaces or lecture theatres, industrial factory floors and much more.




SP Series 32mm Round Service Column

SP321D3MAN	32mm Round 3mtr 1 Division service pole (Natural Anodised)
SP321D4MAN	32mm Round 4mtr 1 Division service pole (Natural Anodised)
SP321D6MAN	32mm Round 6mtr 1 Division service pole (Natural Anodised)
SP321D3MW	32mm Round 3mtr 1 Division service pole (White)
SP321D4MW	32mm Round 4mtr 1 Division service pole (White)
SP321D6MW	32mm Round 6mtr 1 Division service pole (White)




SP Series 50mm Round Service Column

SP502D3MAN	50mm Round 3mtr 2 Division service pole (Natural Anodised)
SP502D4MAN	50mm Round 4mtr 2 Division service pole (Natural Anodised)
SP502D6MAN	50mm Round 6mtr 2 Division service pole (Natural Anodised)
SP502D3MW	50mm Round 3mtr 2 Division service pole (White)
SP502D4MW	50mm Round 4mtr 2 Division service pole (White)
SP502D6MW	50mm Round 6mtr 2 Division service pole (White)



SP Series 70mm Round Service Column

SP702D3MAN	70mm Round 3mtr 2 Division service pole (Natural Anodised)
SP702D4MAN	70mm Round 4mtr 2 Division service pole (Natural Anodised)
SP702D6MAN	70mm Round 6mtr 2 Division service pole (Natural Anodised)
SP702D3MW	70mm Round 3mtr 2 Division service pole (White)
SP702D4MW	70mm Round 4mtr 2 Division service pole (White)
SP702D6MW	70mm Round 6mtr 2 Division service pole (White)




Other Powder Coated colour available upon request

SP Series Service Column

Cableaway's service columns are a quick and easy way to supply power, data or AV from any ceiling space to a desk, workstation, under bench area, retail outlet floor, school classrooms, university study spaces or lecture theatres, industrial factory floors and much more.




BETTER CABLE MANAGEMENT




SP Series 75 x 50mm Rectangle Service Column

SP75502D3MAN	75 x 50mm 3mtr 2 Division service pole (Natural Anodised)
SP75502D4MAN	75 x 50mm 4mtr 2 Division service pole (Natural Anodised)
SP75502D6MAN	75 x 50mm 6mtr 2 Division service pole (Natural Anodised)
SP75502D3MPW	75 x 50mm 3mtr 2 Division service pole (White)
SP75502D4MPW	75 x 50mm 4mtr 2 Division service pole (White)
SP75502D6MPW	75 x 50mm 6mtr 2 Division service pole (White)
SP75502D3MS	75 x 50mm 3mtr 2 Division service pole (Special Colour)
SP75502D4MS	75 x 50mm 4mtr 2 Division service pole (Special Colour)
SP75502D6MS	75 x 50mm 6mtr 2 Division service pole (Special Colour)



SP Series 80 x 80mm Square Service Column


SP80802D3MAN	80 x 80mm 3mtr 2 Division service pole (Natural Anodised)
SP80802D4MAN	80 x 80mm 4mtr 2 Division service pole (Natural Anodised)
SP80802D6MAN	80 x 80mm 6mtr 2 Division service pole (Natural Anodised)
SP80802D3MPW	80 x 80mm 3mtr 2 Division service pole (White)
SP80802D4MPW	80 x 80mm 4mtr 2 Division service pole (White)
SP80802D6MPW	80 x 80mm 6mtr 2 Division service pole (White)
SP80802D3MS	80 x 80mm 3mtr 2 Division service pole (Special Colour)
SP80802D4MS	80 x 80mm 4mtr 2 Division service pole (Special Colour)
SP80802D6MS	80 x 80mm 6mtr 2 Division service pole (Special Colour)



Other Powder Coated colour available upon request


SP Series Service Column

Cableaway's service columns are a quick and easy way to supply power, data or AV from any ceiling space to a desk, workstation, under bench area, retail outlet floor, school classrooms, university study spaces or lecture theatres, industrial factory floors and much more.



SP Series 150 x 50mm Rectangle Service Column

SP150502D3MAN	150 x 50mm 3mtr 2 Division service pole (Natural Anodised)
SP150502D4MAN	150 x 50mm 4mtr 2 Division service pole (Natural Anodised)
SP150502D6MAN	150 x 50mm 6mtr 2 Division service pole (Natural Anodised)
SP150502D3MPW	150 x 50mm 3mtr 2 Division service pole (White)
SP150502D4MPW	150 x 50mm 4mtr 2 Division service pole (White)
SP150502D6MPW	150 x 50mm 6mtr 2 Division service pole (White)
SP150502D3MS	150 x 50mm 3mtr 2 Division service pole (Special Colour)
SP150502D4MS	150 x 50mm 4mtr 2 Division service pole (Special Colour)
SP150502D6MS	150 x 50mm 6mtr 2 Division service pole (Special Colour)



SP Series 100 x 100mm Square Service Column

SP1001002D3MAN	100 x 100mm 3mtr 2 Division service pole (Natural Anodised)
SP1001002D4MAN	100 x 100mm 4mtr 2 Division service pole (Natural Anodised)
SP1001002D6MAN	100 x 100mm 6mtr 2 Division service pole (Natural Anodised)
SP1001002D3MPW	100 x 100mm 3mtr 2 Division service pole (White)
SP1001002D4MPW	100 x 100mm 4mtr 2 Division service pole (White)
SP1001002D6MPW	100 x 100mm 6mtr 2 Division service pole (White)
SP1001002D3MS	100 x 100mm 3mtr 2 Division service pole (Special Colour)
SP1001002D4MS	100 x 100mm 4mtr 2 Division service pole (Special Colour)
SP1001002D6MS	100 x 100mm 6mtr 2 Division service pole (Special Colour)



Other Powder Coated colour available upon request

Umbilical Column

With a modern look and simple installation, umbilical columns are a cost effective choice for any office to distribute power and data cable from roof to floor or table top.



PART NO	DESCRIPTION	UNIT	COLOUR
---------	-------------	------	--------

C17 - Pin to Loop - 720mm

123386	Messenger - 720mm - C17 - Black	EACH	BLACK
126123	Messenger - 720mm - C17 - Grey	EACH	GREY
126124	Messenger - 720mm - C17 - White	EACH	WHITE
125877	Messenger - 720mm - C17 - Clear	EACH	CLEAR

C21 - Pin to Pin - 720mm

125881	Messenger - 720mm - C21 - Black	EACH	BLACK
125916	Messenger - 720mm - C21 - Grey	EACH	GREY
126485	Messenger - 720mm - C21 - White	EACH	WHITE
126125	Messenger - 720mm - C21 - Clear	EACH	CLEAR

C17 - Pin to Loop - 1800mm

126486	Messenger - 1800mm - C17 - Black	EACH	BLACK
123702	Messenger - 1800mm - C17 - Grey	EACH	GREY
127037	Messenger - 1800mm - C17 - White	EACH	WHITE
124405	Messenger - 1800mm - C17 - Clear	EACH	CLEAR



* Accessories not included - see the CABLE MANAGEMENT : ACCESSORIES page

Umbilical Column

With a Modern look and simple installation, umbilical columns are a cost effective choice for any office to distribute power and data cable from roof to floor or table top.



BETTER CABLE MANAGEMENT

PART NO	DESCRIPTION	UNIT	COLOUR
---------	-------------	------	--------

C17 - Pin to Loop - 2200mm

126487	Messenger - 2200mm - C17 - Black	EACH	BLACK
123719	Messenger - 2200mm - C17 - Grey	EACH	GREY
126488	Messenger - 2200mm - C17 - White	EACH	WHITE
126489	Messenger - 2200mm - C17 - Clear	EACH	CLEAR

C17 - Pin to Loop - 2800mm

125933	Messenger - 2800mm - C17 - Black	EACH	BLACK
125859	Messenger - 2800mm - C17 - Grey	EACH	GREY
126491	Messenger - 2800mm - C17 - White	EACH	WHITE
126492	Messenger - 2800mm - C17 - Clear	EACH	CLEAR

* Accessories not included - see the CABLE MANAGEMENT : ACCESSORIES page



Umbilical Column Accessories

With a modern look and simple installation, umbilical columns are a cost effective choice for any office to distribute power and data cable from roof to floor or table top.



BETTER CABLE MANAGEMENT

PART NO	DESCRIPTION	UNIT	COLOUR
---------	-------------	------	--------

Ceiling Collars

306513	Ceiling Collar - Messenger - White	EACH	WHITE
--------	------------------------------------	------	-------



Grommets

328020	MPO - Messenger Pedestal Outlet with Carpet Spacer	EACH	GREY
--------	--	------	------



121780	Floor Grommet Assembly - Grey	EACH	GREY
--------	-------------------------------	------	------



Weighted Bases & Grippers

328141	CG2 - Floor Gripper & Base	EACH	SILVER
--------	----------------------------	------	--------



328155	QL1 - Quick link	EACH	SILVER
--------	------------------	------	--------

216498	Weighted Base Black	EACH	BLACK
--------	---------------------	------	-------


216497	Weighted Base Grey	EACH	Grey
--------	--------------------	------	------

216499	Weighted Base White	EACH	WHITE
--------	---------------------	------	-------



Pedestal Bollards

Cableaway's range of pedestal bollards are a cost effective way to provide Power, Data or Audio Visual outlets to above or below bench areas in office's, school's or laboratories (etc).



PART

DESCRIPTION

Aluminium Pedestal Bollards

PB80802D	Pedestal Bollard 80mm x 80mm 2DIV
PB75502D	Pedestal Bollard 75mm x 50mm 2DIV
PB1001002D	Pedestal Bollard 100mm x 100mm 2DIV

Other Powder Coated colour available upon request



Stainless Steel Pedestal Bollards

PBSS316100100	Pedestal Bollard Stainless Steel 316 100mm x 100mm
PBSS304100100	Pedestal Bollard Stainless Steel 304 100mm x 100mm



Bollards will be manufactured to a specific height and mounting configuration upon request



**.cable.
away**

Better Cable Management

**Simple and flexible,
Soluflex Computer Flooring**

Changhong Television's

Changhong's range of Flat screen TV'S come complete with a 3 year commercial warranty.



PART	DESCRIPTION
------	-------------

UD75E8000I	75" / 190cm UHD Smart TV 4K
------------	-----------------------------

UD65E5000I	65" / 165cm UHD Smart TV 4K
------------	-----------------------------

UD55E5000I	55" / 139cm UHD Smart TV 4K
------------	-----------------------------



BONUS CROMECAST WITH 4K SMART TV



LED55D2200	55" / 139cm FHD LED LCD TV
------------	----------------------------

LED50E2000	50" / 124cm FHD LED LCD TV
------------	----------------------------

LED32ED2000	32" / 80cm LED TV
-------------	-------------------

LED39E2000	39" / 80cm LED TV
------------	-------------------



HDMI Cables

Cableaways 24K gold-plated connectors ensure superior signal transfer and lifetime of maximum performance. Four screened twisted pairs of OFC stranded conductors with foam PE insulation layer, improve the high frequency response for wide-bandwidth and efficient signal transfer.



BETTER CABLE MANAGEMENT



HDMI Cables



HDMI 1.5M



HDMI 3M



HDMI 5M



HDMI 10M



HDMI 20M



HDMI 15M



HDMI 2.0M



HDMI 1M

Wall and Swing Frame Contractor Series Data Cabinets

Here at Cableaway we offer a large selection of quality cabinets and accessories to suit your installation requirements.



Part Number

Description

W 600mm x D 450mm Wall Cabinet

SRWS0464	4RU	450mm Deep wall mounted Data Cabinet
SRWS0664	6RU	450mm Deep wall mounted Data Cabinet
SRWS0964	9RU	450mm Deep wall mounted Data Cabinet



W 600mm x D 600mm Wall Cabinets

SRWS0666	6RU	600mm Deep wall mounted Data Cabinet
SRWS0966	9RU	600mm Deep wall mounted Data Cabinet
SRWS1266	12RU	600mm Deep wall mounted Data Cabinet



W 600mm x D 550mm Swing Frame Cabinets

SRWD0665	6RU	550mm Deep swing frame mounted Data Cabinet
SRWD0965	9RU	550mm Deep swing frame mounted Data Cabinet
SRWD1265	12RU	550mm Deep swing frame mounted Data Cabinet
SRWD1865	18RU	550mm Deep swing frame mounted Data Cabinet



Free Standing Contractor Series Data Cabinets

Here at Cableaway we offer a large selection of quality cabinets and accessories to suit your installation requirements.



BETTER CABLE MANAGEMENT

Part Number

Description

W 600mm x D 600mm Data Cabinets

Height

SRB1866	18RU	Free standing Data Cabinets 600mm x 600mm	985mm
SRB2266	22RU	Free standing Data Cabinets 600mm x 600mm	1161mm
SRB2766	27RU	Free standing Data Cabinets 600mm x 600mm	1383mm
SRB3266	32RU	Free standing Data Cabinets 600mm x 600mm	1603mm
SRB3766	37RU	Free standing Data Cabinets 600mm x 600mm	1825mm
SRB4266	42RU	Free standing Data Cabinets 600mm x 600mm	2044mm
SRB4566	45RU	Free standing Data Cabinets 600mm x 600mm	2177mm

W 600mm x D 800mm Data Cabinets

SRB1868	18RU	Free standing Data Cabinets 600mm x 800mm	985mm
SRB2268	22RU	Free standing Data Cabinets 600mm x 800mm	1161mm
SRB2768	27RU	Free standing Data Cabinets 600mm x 800mm	1383mm
SRB3268	32RU	Free standing Data Cabinets 600mm x 800mm	1603mm
SRB3768	37RU	Free standing Data Cabinets 600mm x 800mm	1825mm
SRB4268	42RU	Free standing Data Cabinets 600mm x 800mm	2044mm
SRB4568	45RU	Free standing Data Cabinets 600mm x 800mm	2177mm

W 800mm x D 1000mm Data Cabinets

SRB42810	42RU	Free standing Data Cabinets 800mm x 1000mm	2044mm
SRB45810	45RU	Free standing Data Cabinets 800mm x 1000mm	2177mm

SR Series Power Rails

Cableways power rails are a neat and functional way to provide power to your data cabinet.



BETTER CABLE MANAGEMENT



Part Number

Description

10amp Power Rail

SR61018M10AMP

6 X GPO complete with 1.8m lead 10amp plug.

SR101018M10AMP

10 X GPO complete with 1.8m lead 10amp plug.

SR201018M10AMP

20 X GPO complete with 1.8m lead 10amp plug.



15amp Power Rail

SR61018M15AMP

6 X GPO complete with 1.8m lead 15amp plug.

SR101018M15AMP

10 X GPO complete with 1.8m lead 15amp plug.

SR201018M15AMP

20 X GPO complete with 1.8m lead 15amp plug.



SR Series Data Cabinet shelves

Cableaway offers a range of data cabinet shelves to mount your networking accessories.



BETTER CABLE MANAGEMENT




Part Number

Description


SRFS280

Fixed Shelf to suit 450 & 550mm deep wall Cabinets



SRFS300

Fixed Shelf to suit 600d free Standing Cabinets



SRFS500

Fixed Shelf to suit 800d free Standing Cabinets



SRFS700

Fixed Shelf to suit 1000d free Standing Cabinets



SRCS315

Cantilever shelf suits 19" rack x 315 deep



SR Series Data Cabinet Accessories


Cableway Data Cabinet accessories are a great and cost effective way to distribute your cables as well as to mount all your hardware.



Part Number	Description
-------------	-------------

SRCMP1RU

1RU Plastic Cable Manager



SRCMP2RU

2RU Plastic Cable Manager



SRBP1

Blanking Panel 2RU



SRBP2

Blanking Panel 2RU



SRBP4

Blanking Panel 2RU



SR Series Data Cabinet Accessories

Cableaway Data Cabinet accessories are a great and cost effective way to distribute your cables as well as to mount all your hardware.



Part Number	Description	
SRMH10	Mounting Hardware PK10	
SRMH50	Mounting Hardware PK50	
SRSRL	Round Door Lock	
SRCAST	Data Cabinet Castor wheel	
SRCASTWB	Data Cabinet Castor with Brake	

3 Pole Software Interconnecting Cables

Cableaway 3 pole software system. Simple flexible and cost effective.



20amp Software System

PART NO	DESCRIPTION	UNIT	COLOUR
---------	-------------	------	--------

150046	IC CABLE 600mm - Black	EACH	BLACK
150049	IC CABLE 600mm - White	EACH	WHITE
150003	IC CABLE 1000mm - Black	EACH	BLACK
150004	IC CABLE 1000mm - White	EACH	WHITE
150005	IC CABLE 1500mm - Black	EACH	BLACK
150006	IC CABLE 1500mm - White	EACH	WHITE
150007	IC CABLE 2000mm - Black	EACH	BLACK
150008	IC CABLE 2000mm - White	EACH	WHITE
150009	IC CABLE 2500mm - Black	EACH	BLACK
150010	IC CABLE 2500mm - White	EACH	WHITE
150011	IC CABLE 3000mm - Black	EACH	BLACK
150012	IC CABLE 3000mm - White	EACH	WHITE
150013	IC CABLE 3500mm - Black	EACH	BLACK
150014	IC CABLE 3500mm - White	EACH	WHITE
150015	IC CABLE 4000mm - Black	EACH	BLACK
150016	IC CABLE 4000mm - White	EACH	WHITE
150017	IC CABLE 4500mm - Black	EACH	BLACK
150018	IC CABLE 4500mm - White	EACH	WHITE



2.5mm Conductor

3 Pole Softwire Interconnecting Cables

Cableaway 3 pole softwire system. Simple flexible and cost effective.



20amp Soft wire System

PART NO	DESCRIPTION	UNIT	COLOUR
---------	-------------	------	--------

150020	IC CABLE 5000mm - White	EACH	WHITE
150021	IC CABLE 6000mm - Black	EACH	BLACK
150022	IC CABLE 6000mm - White	EACH	WHITE
150023	IC CABLE 7000mm - Black	EACH	BLACK
150024	IC CABLE 7000mm - White	EACH	WHITE
150025	IC CABLE 8000mm - Black	EACH	BLACK
150026	IC CABLE 8000mm - White	EACH	WHITE
150027	IC CABLE 9000mm - Black	EACH	BLACK
150028	IC CABLE 9000mm - White	EACH	WHITE
150029	IC CABLE 10000mm - Black	EACH	BLACK
150030	IC CABLE 10000mm - White	EACH	WHITE



2.5mm Conductor

Custom lengths available on request

3 Pole Distribution Blocks and Starters

Distribution blocks split a power circuit into branch lines.



20amp Soft wire System

PART NO	DESCRIPTION	UNIT	COLOUR
---------	-------------	------	--------

1 in 2 Out

150605	T - Connector 1 Male / 2 Female - Black	EACH	BLACK
150606	T - Connector 1 Male / 2 Female - White	EACH	WHITE



1 In 3 Out

150600	DISTRIBUTOR BLOCK 4 Way 1 Male / 3 Female - Black (DB4)	EACH	BLACK
150601	DISTRIBUTOR BLOCK 4 Way 1 Male / 3 Female - White (DB4)	EACH	WHITE



1 in 5 Out

150602	DISTRIBUTOR BLOCK 6 Way 1 Male / 5 Female - Black (DB6)	EACH	BLACK
150603	DISTRIBUTOR BLOCK 6 Way 1 Male / 5 Female - White (DB6)	EACH	WHITE



Starter Socket and Plate

SWSPB-WIE	BLACK Starter plate complete with black 3 pole snap connector	BLACK
SWSPW-WIE	White Starter plate complete with white 3 pole snap connector	WHITE



Softwire GPO Outlets

Cableaway Softwire GPO'S available in quad, double and with dual USB



PART NO	DESCRIPTION	UNIT	COLOUR
---------	-------------	------	--------

Male & Female Connectors

152205	QIKFIT Dual auto switched power outlet with Twin USB Fast Charger (TUF) 2.3A	EACH	BLACK
152200	QIKFIT Dual auto switched power outlet with Twin USB Fast Charger (TUF) 2.3A	EACH	WHITE
152210	QIKFIT Dual auto switched power outlet with Twin USB Fast Charger (TUF) 2.3A	EACH	GREY



QIKFIT 2 GPO Auto Switched

152100	QIKFIT Dual auto switched power outlet	EACH	BLACK
152104	QIKFIT Dual auto switched power outlet	EACH	WHITE
152103	QIKFIT Dual auto switched power outlet	EACH	GREY
152102	QIKFIT Dual auto switched power outlet	EACH	RED
152105	QIKFIT Dual auto switched power outlet round earth	EACH	RED



QIKFIT 4 GPO Auto Switched

152050	QIKFIT Quad auto switched power outlet	EACH	BLACK
152054	QIKFIT Quad auto switched power outlet	EACH	WHITE
152053	QIKFIT Quad auto switched power outlet	EACH	GREY
152052	QIKFIT Quad auto switched power outlet	EACH	RED
150667	QIKFIT Quad auto switched power outlet round earth	EACH	RED



Desk Top Outlet

Desk top outlets are simple and adaptable to any bench or table top.



PART NO	DESCRIPTION	UNIT	COLOUR
---------	-------------	------	--------

PHOENIX White

371000	PHOENIX 25 2 x GPO with 800mm lead and J Coupler with Desktop Clamp Bracket	EACH	WHITE
371004	PHOENIX 35 2 x GPO / Configurable from 0 data up to 2 x Data (AUNZ) with Desktop Clamp Bracket	EACH	WHITE
371002	PHOENIX 45 4 x GPO with 800mm lead and J Coupler with Desktop Clamp Bracket	EACH	WHITE
371006	PHOENIX 65 4 x GPO / Configurable from 0 data up to 4 x Data (AUNZ) with Desktop Clamp Bracket	EACH	WHITE


PHOENIX Black

371001	PHOENIX 25 2 x GPO with 800mm lead and J Coupler with Desktop Clamp Bracket	EACH	BLACK
371005	PHOENIX 35 2 x GPO / Configurable from 0 data up to 2 x Data (AUNZ) with Desktop Clamp Bracket	EACH	BLACK
371003	PHOENIX 45 4 x GPO with 800mm lead and J Coupler with Desktop Clamp Bracket	EACH	BLACK
371007	PHOENIX 65 4 x GPO / Configurable from 0 data up to 4 x Data (AUNZ) with Desktop Clamp Bracket	EACH	BLACK



PEGASUS

184500	PEGASUS 2 x GPO / 2 x Data Cutouts (AUNZ) with 800mm Lead with Desktop Clamp Bracket	EACH	WHITE
184501	PEGASUS 2 x GPO with 800mm Lead with Desktop Clamp Bracket	EACH	WHITE
184510	PEGASUS 4 x GPO / 3 x Data Cutouts (AUNZ) with 800mm Lead with Desktop Clamp Bracket	EACH	WHITE
184511	PEGASUS 4 x GPO with 800mm Lead with Desktop Clamp Bracket	EACH	WHITE



Indesk Power Outlet Box

Cableaway Table boxes are a neat and tidy way to provide power and data to any table .



PART NO	DESCRIPTION	UNIT	COLOUR
---------	-------------	------	--------

162008	Genie 4 x GPO / 4 x AUNZ Data Cutouts(25.4mm sq)	EACH	WHITE
161901	Genie Adaptor Plate, 4 x Keystone Data Cutouts / AV Plate	EACH	WHITE



GENIE

Axxess Anodised Lid


128098	AXXESS QF25 - FRAME ONLY	EACH	GREY/SILVER
160549	AXXESS QF25 - 2 GPO / 4 x Data Cutouts	EACH	GREY/SILVER
199611	AXXESS QF45 - FRAME ONLY	EACH	GREY/SILVER
160579	AXXESS QF45 - 4 GPO / 5 x Data Cutouts	EACH	GREY/SILVER



AXXESS

Axxess White Lid

131000	AXXESS QF25 - FRAME ONLY	EACH	WHITE/WHITE
182007	AXXESS QF25 - 2 GPO / 4 x Data Cutouts	EACH	WHITE/WHITE
131001	AXXESS QF45 - FRAME ONLY	EACH	WHITE/WHITE
182008	AXXESS QF45 - 4 GPO / 5 x Data Cutouts	EACH	WHITE/WHITE



AXXESS

Other configurations available upon request

Indesk Power Outlet Box


Cableaway Table boxes are a neat and tidy way to provide power and data to any table .



PART NO	DESCRIPTION	UNIT	COLOUR
---------	-------------	------	--------

Tardis 2 GPO

260000	TARDIS 2 x GPO QIKFIT / 4 x 25.4 Square Data Cutouts - Square Corner	EACH	SILVER
260001	TARDIS 2 x GPO QIKFIT / 4 x 25.4 Square Data Cutouts - Round Corner	EACH	SILVER
260002	TARDIS 2 x GPO QIKFIT / 3 AUNZ Data Tiles / 1 VGA / 1 Audio - Square Corner	EACH	SILVER
260003	TARDIS 2 x GPO QIKFIT / 3 AUNZ Data Tiles / 1 VGA / 1 Audio - Round Corner	EACH	SILVER



Tardis 4 GPO

265000	TARDIS 4 x GPO QIKFIT / 5 x 25.4 Square Data Cutouts - Square Corner	EACH	SILVER
265001	TARDIS 4 x GPO QIKFIT / 5 x 25.4 Square Data Cutouts - Round Corner	EACH	SILVER
265002	TARDIS 4 x GPO QIKFIT / 5 AUNZ Data Tiles / 1 VGA / 1 Audio - Square Corner	EACH	SILVER
265003	TARDIS 4 x GPO QIKFIT / 5 AUNZ Data Tiles / 1 VGA / 1 Audio - Round Corner	EACH	SILVER

Chassis Only

240020	TARDIS 2 x GPO QIKFIT / 4 x 25.4 Square Data Cutouts - NO LID	EACH	WHITE
240021	TARDIS 4 x GPO QIKFIT / 5 x 25.4 Square Data Cutouts - NO LID	EACH	WHITE

Back Box

209493	TARDIS Back Cover Box for 2 x GPO Tardis Box	EACH	WHITE
209494	TARDIS Back Cover Box for 4 x GPO Tardis Box	EACH	WHITE

Other configurations available upon request



BETTER CABLE MANAGEMENT



FIRE RATED CABLE PATHWAY


www.cableaway.com.au

Under Desk Cable Basket

Under desk cable basket single tier or dual tier for support and mounting of power / data cables




BETTER CABLE MANAGEMENT



PART NO	DESCRIPTION	UNIT	COLOUR
---------	-------------	------	--------

Grey RUNNER

294037	RUNNER Single Tiered Cable Basket - 750mm	EACH	GREY
294031	RUNNER Double Tiered Cable Basket - 750mm	EACH	GREY
294032	RUNNER Double Tiered Cable Basket - 1250mm	EACH	GREY
294033	RUNNER Double Tiered Cable Basket - 1550mm	EACH	GREY



Grey Panels

294041	RUNNER Basket Panel - 4 x GPO / 5 Data *	EACH	GREY
294044	RUNNER Basket Panel - 2 x GPO / 4 Data *	EACH	GREY

White RUNNER

294095	RUNNER Single Tiered Cable Basket - 750mm	EACH	WHITE
294507	RUNNER Double Tiered Cable Basket - 750mm	EACH	WHITE
294508	RUNNER Double Tiered Cable Basket - 1250mm	EACH	WHITE
294506	RUNNER Double Tiered Cable Basket - 1550mm	EACH	WHITE



White Panels

294098	RUNNER Basket Panel - 4 x GPO / 5 Data *	EACH	WHITE
294124	RUNNER Basket Panel - 2 x GPO / 4 Data *	EACH	WHITE

* Basket Panels can also accommodate power, data, and AV in many other configurations

Under Desk Cable Basket

Under desk cable basket single tier or dual tier for support and mounting of power / data cables



PART NO	DESCRIPTION	UNIT	COLOUR
---------	-------------	------	--------


Cable Baskets

136000	PATHWAY Cable Basket 600mm	EACH	WHITE
136005	PATHWAY Cable Basket 900mm	EACH	WHITE

Brackets

136010	PATHWAY Cable Basket Bracket	EACH	WHITE
--------	------------------------------	------	-------

Pathway Dimensions



Mainline Power Track

The Mainline track system provides safe and easy access to power anywhere along its length. Mainline track is easily installed by a qualified electrician in a fraction of the time taken to install traditional fixed sockets. The track can be cut on-site with a standard drop-saw, ensuring it will fit any room.



PART	DESCRIPTION
------	-------------

ML20W Track Kit 2.0m - White

ML20B Track Kit 2.0m - Black

MLFCJW Flexible Corner Kit incl. cables - White

MLFCJB Flexible Corner Kit incl. cables - Black

MLTSELW Track TS End Cap (Left) - White

MLTSERW Track TS End Cap (Right) - White

MLTSELB Track TS End Cap (Left) - Black

MLTSERB Track TS End Cap (Right) - Black

MLTSLW TS Terminal Block Kit (Left) - White


MLTSRW TS Terminal Block Kit (Right) - White

MLTSLB TS Terminal Block Kit (Left) - Black

MLTSRB TS Terminal Block Kit (Right) - Black

MLQCSJW Quick Connect Straight Joiner - White

MLQCSJB Quick Connect Straight Joiner - Black



Mainline Power Track

The Mainline track system provides safe and easy access to power anywhere along its length. Mainline track is easily installed by a qualified electrician in a fraction of the time taken to install traditional fixed sockets. The track can be cut on-site with a standard drop-saw, ensuring it will fit any room.





BETTER CABLE MANAGEMENT



PART	DESCRIPTION	
MLUSBW	Premium Double USB Socket - White	
MLUSBB	Premium Double USB Socket - Black	
MLPDW	Premium Data Socket - White	
MSD50150	50mm x 150mm x 2.0m Mainline skirting Duct	
MSD20100	20mm x 100mm x 2.8m Mainline Skirting Board	
MLEX21	Aluminium C-Channel Housing 2.1m - Silver	
MLFMH21	Aluminium Flush Mounting Housing 2.1m	
MLSMHW21	Surface mounted PVC Housing	

Fibre Ducting Raceway


Fibre duct is a system designed to protect and route fiber optical patch cords, cables assemblies from an ODF, network cabinet or other devices.




CF120
120mm Fibre Duct



CF240
240mm Fibre Duct



CF300
300mm Fibre Duct



CF120-CNT or CF420-CNT
CONNECTOR



CF120-ELB90 or CF420-ELB90
HORIZONTAL BEND



CF120-TEE or CF420-TEE
HORIZONTAL TEE



CF120-CRS or CF420-CRS
HORIZONTAL CROSS



CF240-VTC120
240 to 120 VERTICAL T




CF240-CNT HTC120
240 to 120 LEVEL T



CF240-RDC120
REDUCER





CF120-TSP or CF420-TSP
TRUMPET / END FLARE




CF120-ERS45 or CF420-ERS45
EXTERNAL 45 DEGREE

Fibre Ducting Raceway

Fibre duct is a system designed to protect and route fiber optical patch cords, cables assemblies from an ODF, network cabinet or other devices.



CF120-IRS45 or CF240-IRS45
INTERNAL RISER




CF120-TTR or CF240-TTR
END CAP




CF-OUT55
MOVABLE CABLE EXIT KIT
WITH TUBE




HIGH CAPACITY MOVABLE
CABLE EXIT KIT



HANGING BAR



CABINET TOP STAND



HANGING SET 2



L-TYPE SUPPORT



CF-ELB90-CVR
HORIZONTAL BEND
COVER



CF-TEE-CVR
HORIZONTAL TEE
COVER



CF-CRS-CVR
HORIZONTAL CROSS
COVER



CF-IRS45-CVR
INTERNAL RISER
COVER 45 DEGREE



CF-ERS45-CVR
EXTERNAL RISER
COVER 45 DEGREE



CF-240-RDC120-CVR
REDUCER COVER

Soluflex Flooring System


Raised floor system - 37mm height



BETTER CABLE MANAGEMENT



Pack	Cat.Nos	Floor parts		Pack	Cat.Nos	Floor parts (continued)	
1	84000 10	Tile 225 x 225 mm pre-galvanised tile Supplied with 4 contact/distance projections Can be positioned on supports Cat.No 84037 00		1	81902 32	Chromed outlet grommet For cable access to work station To be used with outlet tile Cat.No 84000 40	
1	84037 00	Support for tile 100 x 100 mm support Height 37 mm With 2 grooves for tiles positioning Black - polypropylene		1	84000 40	Outlet tile 225 x 225 mm pre-galvanised tile Supplied with 4 contact/distance projections For integration of columns, pedestals+cable spine (contact us) or chrome outlet grommet Cat.No 81902 32	
		Edge plates Used to finish installation against wall Length 900 mm, width 300 mm Trim to size on site Pre-galvanised		1	84000 50	Fixing brackets For mounting columns on floor with outlet tile Cat.No 84000 40 Pre-galvanised	
1	84000 60	Double edge plate 2 flanges of 13 mm				Built-in units to be equipped 225 x 225 mm Height 37 mm (accessory outlet rises to 71 mm) Pre-galvanised	
1	84000 61	Single edge plate 1 flange of 13 mm					
1	84037 20	Plenum sealing For edging the floor to create a step Length 900 mm, width 56 mm Height 37 mm Pre-galvanised		1	84037 50	For 2 x 13 A Arteor socket outlets Provided with connection terminal and strain relief	
1	84037 30	Plenum exterior angle 56 x 56 mm Use in conjunction with Cat.No 84037 22 Pre-galvanised		1	84037 51	For up to 4 x 1 module Arteor data sockets	
1	84037 40	Ramp Length 400 mm, width 112 mm Ramp 10 % Include 1 extra support per tile Pre-galvanised		1	535 97	Cable spine Very suitable solution for a safe and design protection of the cabling between desk and floor 2 compartments Length: 770 mm - Ø70 mm Translucid	
1	84000 20	Earthing tile 225 x 225 mm pre-galvanised earthing tile Supplied with 4 contact/distance projections Earthing clamp max. 6 mm ² Use 1 tile per 100 m ² or in hallways max. 14 m apart					
1	84000 30	Cable outlet tile 225 x 225 mm pre-galvanised cable outlet tile For cable access to work station Access 125 x 15 mm Supplied with 4 contact/distance projections					



Soluflex Flooring System

Raised floor system - 60mm height




BETTER CABLE MANAGEMENT



Pack	Cat.Nos	Floor parts
1	84000 10	Tile 225 x 225 mm pre-galvanised tile Supplied with 4 contact/distance projections Can be positioned on supports Cat.No 84060 00
1	84060 00	Support for tile 100 x 100 mm support Height 60 mm With 2 grooves for tiles positioning Black - polypropylene
		Edge plates Used to finish installation against wall Length 900 mm, width 300 mm Trim to size on site Pre-galvanised
1	84000 60	Double edge plate 2 flanges of 13 mm
1	84000 61	Single edge plate 1 flange of 13 mm
1	84060 20	Plenum sealing For edging the floor to create a step Length 900 mm, width 56 mm Height 60 mm Pre-galvanised
1	84060 30	Plenum exterior angle 56 x 56 mm Use in conjunction with Cat.No 84060 22 Pre-galvanised
1	84060 40	Ramp Length 616 mm, width 112 mm Ramp 10 % Include 1 extra support per tile Pre-galvanised
1	84000 20	Earthing tile 225 x 225 mm pre-galvanised earthing tile Supplied with 4 contact/distance projections Earthing clamp max. 6 mm ² Use 1 tile per 100 m ² or in hallways max. 14 m apart
1	84000 30	Cable outlet tile 225 x 225 mm pre-galvanised cable outlet tile For cable access to work station Access 125 x 15 mm Supplied with 4 contact/distance projections

Pack	Cat.Nos	Floor parts (continued)
1	81902 32	Chromed outlet grommet For cable access to work station To be used with outlet tile Cat.No 84000 40
1	84000 40	Outlet tile 225 x 225 mm pre-galvanised tile Supplied with 4 contact/distance projections For integration of columns, pedestals + cable spine (contact us) or chrome outlet grommet Cat.No 81902 32
1	84000 50	Fixing brackets For mounting columns on floor with outlet tile Cat.No 84000 40 Pre-galvanised
1	84060 72	Fully submerged units to be equipped Pre-galvanised To be combined with cable outlet tile Cat.No 84000 30
1	84060 73	For 2 x 13 A Arteor socket outlets Provided with connection terminal For 2 x Arteor data sockets
1	535 97	Cable spine Very suitable solution for a safe and design protection of the cabling between desk and floor 2 compartments Length: 770 mm - Ø70 mm Translucid




Solflex Flooring System


Raised floor system - 90mm height



BETTER CABLE MANAGEMENT



Pack	Cat.Nos	Floor parts		Pack	Cat.Nos	Floor parts (continued)	
1	84000 10	Tile 225 x 225 mm pre-galvanised tile Supplied with 4 contact/distance projections Can be positioned on supports Cat.No 84090 00		1	81902 32	Chromed outlet grommet For cable access to work station To be used with outlet tile Cat.No 84000 40	
1	84090 00	Support for tile 100 x 100 mm support Height 90 mm With 2 grooves for tiles positioning Black - polypropylene		1	84000 40	Outlet tile 225 x 225 mm pre-galvanised tile Supplied with 4 contact/distance projections For integration of columns, pedestals+cable spine (contact us) or chrome outlet grommet Cat.No 81902 32	
1	84000 60	Edge plates Used to finish installation against wall Length 900 mm, width 300 mm Trim to size on site Pre-galvanised		1	84000 50	Fixing brackets For mounting columns on floor with outlet tile Cat.No 84000 40 Pre-galvanised	
1	84000 61	Double edge plate 2 flanges of 13 mm Single edge plate 1 flange of 13 mm		1	84090 84	Flip-up floor boxes tile 225 x 225 mm For flip-up boxes (p. 47) Pre-galvanised	
1	84090 20	Plenum sealing For edging the floor to create a step Length 900 mm, width 56 mm Height 90 mm Pre-galvanised		1	84090 82	Floor box tile 450 x 450 mm For lid + trim assemblies (p. 40) Pre-galvanised	
1	84090 30	Plenum exterior angle 56 x 56 mm Use in conjunction with Cat.No 84090 22 Pre-galvanised		1	84090 83	For 3-compartment floor boxes (square opening 265 x 265 mm) For 4-compartment floor boxes (rectangular opening 342 x 265 mm)	
1	84090 40	Ramp Length 898 mm, width 112 mm Ramp 10 % Include 1 extra support per tile Pre-galvanised		1	535 97	Cable spine Very suitable solution for a safe and design protection of the cabling between desk and floor 2 compartments Length: 770 mm - Ø70 mm Translucid	
1	84000 20	Earthing tile 225 x 225 mm pre-galvanised earthing tile Supplied with 4 contact/distance projections Earthing clamp max. 6 mm ² Use 1 tile per 100 m ² or in hallways max. 14 m apart					
1	84000 30	Cable outlet tile 225 x 225 mm pre-galvanised cable outlet tile For cable access to work station Access 125 x 15 mm A Supplied with 4 contact/distance projections					




Soluflex Flooring System

Raised floor system -120mm height



BETTER CABLE MANAGEMENT



Pack	Cat.Nos	Floor parts	
1	84000 10	Tile 225 x 225 mm pre-galvanised tile Supplied with 4 contact/distance projections Can be positioned on supports Cat.No 84120 00	
1	84120 00	Support for tile 100 x 100 mm support Height 120 mm With 2 grooves for tiles positioning Black - polypropylene	
		Edge plates Used to finish installation against wall Length 900 mm, width 300 mm Trim to size on site Pre-galvanised	
1	84000 60	Double edge plate 2 flanges of 13 mm	
1	84000 61	Single edge plate 1 flange of 13 mm	
1	84120 20	Plenum sealing For edging the floor to create a step Length 900 mm, width 56 mm Height 120 mm Pre-galvanised	
1	84120 30	Plenum exterior angle 56 x 56 mm Use in conjunction with Cat.No 84120 22 Pre-galvanised	
1	84120 40	Ramp Length 1181 mm, width 112 mm Ramp 10 % Include 1 extra support per tile Pre-galvanised	
1	84000 20	Earthing tile 225 x 225 mm pre-galvanised earthing tile Supplied with 4 contact/distance projections Earthing clamp max. 6 mm ² Use 1 tile per 100 m ² or in gangways max. 14 m apart	
1	84000 30	Cable outlet tile 225 x 225 mm pre-galvanised cable outlet tile For cable access to work station Access 125 x 15 mm Supplied with 4 contact/distance projections	

Pack	Cat.Nos	Floor parts (continued)	
1	81902 32	Chromed outlet grommet For cable access to work station To be used with outlet tile Cat.No 84000 40	
1	84000 40	Outlet tile 225 x 225 mm pre-galvanised tile Supplied with 4 contact/distance projections For integration of columns, pedestals+cable spine (contact us) or chrome outlet grommet Cat.No 81902 32	
1	84000 50	Fixing brackets For mounting columns on floor with outlet tile Cat.No 84000 40 Pre-galvanised	
1	84090 84	Flip-up floor boxes tile 225 x 225 mm For flip-up boxes (p. 47) Pre-galvanised	
1	84090 82	Floor box tile 450 x 450 mm For lid + trim assemblies (p. 40) Pre-galvanised	
1	84090 83	For 3-compartment floor boxes (square opening 265 x 265 mm) For 4-compartment floor boxes (rectangular opening 342 x 265 mm)	
1	535 97	Cable spine Very suitable solution for a safe and design protection of the cabling between desk and floor 2 compartments Length: 770 mm - Ø70 mm Translucid	

