



BETTER CABLE MANAGEMENT

Electrical *Conduit & Fittings*



Electrical Conduit & Fittings



ITEM	SIZE	OUTER DIA	THICKNESS		LENGTH
CON16MD	16	15.7-16.0	1.6	1.9	4m
CON20MD	20	19.7-20.0	1.8	2.1	4m
CON25MD	25	24.7-25.0	1.8	2.1	4m
CON32MD	32	31.7-32.0	2.1	2.4	4m
CON40MD	40	39.7-40.0	2.4	2.7	4m
CON50MD	50	49.7-50.0	2.8	3.1	4m
CON63MD	63	62.7-63.0	3	3.5	4m
CON80MD	80	88.7-89.1	3.5	4.1	4m
CON100MD	100	114.1-114.5	4.5	5.2	4m
CON150MD	150	160.0-160.5	6.3	7.1	4m
CON20HD	20	19.7-20.0	2.3	2.6	4m
CON25HD	25	24.7-25.0	2.5	2.8	4m
CON32HD	32	31.7-32.0	2.7	3	4m
CON40HD	40	39.7-40.0	3.1	3.4	4m
CON50HD	50	49.7-50.0	3.4	3.9	4m
CON63HD	63	62.7-63.0	3.9	4.5	4m
CON80HD	80	88.7-89.1	4.6	5.3	4m
CON100HD	100	114.1-114.5	5.9	6.7	4m
CON150HD	150	160.0-160.5	8.3	9.3	4m

Code	Description	Unit
CONSTDBEND20	20mm Sweep Bend 90° (MD,UV resistance)	Each
CONSTDBEND25	25mm Sweep Bend 90° (MD,UV resistance)	Each
CONSTDBEND32	32mm Sweep Bend 90° (MD,UV resistance)	Each
CONSTDBEND40	40mm Sweep Bend 90° (MD,UV resistance)	Each
CONSTDBEND50	50mm Sweep Bend 90° (MD,UV resistance)	Each
CONSTDBEND100	100mm Sweep Bend 90° (MD,UV resistance)	Each
CONSTDBEND10045	100mm Sweep Bend 45° (MD,UV resistance)	Each
CONSTDBEND10022	100mm Sweep Bend 22° (MD,UV resistance)	Each
CONSTDBEND20HD90	20mm Sweep Bend 90° (HD)	Each
CONSTDBEND25HD90	25mm Sweep Bend 90° (HD)	Each
CONSTDBEND32HD90	32mm Sweep Bend 90° (HD)	Each
CONSTDBEND40HD90	40mm Sweep Bend 90° (HD)	Each
CONSTDBEND50HD90	50mm Sweep Bend 90° (HD)	Each
CONSTDBEND63HD90	63mm Sweep Bend 90° (HD)	Each
CONSTDBEND80HD90	80mm Sweep Bend 90° (HD)	Each
CONSTDBEND100HD90	100mm Sweep Bend 90° (HD)	Each
CONSTDBEND100HD90	100mm Sweep Bend 45° (HD)	Each
CONSTDBEND100HD90	100mm Sweep Bend 22° (HD)	Each
CONSTDBEND150HD90	150mm Sweep Bend 90° (HD)	Each

Electrical Conduit & Fittings



Code	Description	Unit
CONTEL90BEND20-100	20mm-100 Telstra Bend 90° (UV resistance)	Each
CONTEL90BEND20-305	20mm-305 Telstra Bend 90° (UV resistance)	Each
CONTEL22BEND50-305	50mm-305 Telstra Bend 22° (UV resistance)	Each
CONTEL45BEND50-305	50mm-305 Telstra Bend 45° (UV resistance)	Each
CONTEL90BEND50-305	50mm-305 Telstra Bend 90° (UV resistance)	Each

Code	Description	Unit
CONCOUP20	20mm Solid Coupling	Each
CONCOUP25	25mm Solid Coupling	Each
CONCOUP32	32mm Solid Coupling	Each
CONCOUP40	40mm Solid Coupling	Each
CONCOUP50	50mm Solid Coupling	Each
CONCOUP63	63mm Solid Coupling	Each

Code	Description	Unit
CONPLRED20*16	20*16mm Plain Reducer	Each
CONPLRED25*20	25*20mm Plain Reducer	Each
CONPLRED32*25	32*25mm Plain Reducer	Each
CONPLRED40*32	40*32mm Plain Reducer	Each
CONPLRED50*40	50*40mm Plain Reducer	Each

Code	Description	Unit
CONINTERRED2025	25 to 20mm Internal Reducer	Each

Code	Description	Unit
CONCAP32	32mm Conduit Cap	Each
CONCAP40	40mm Conduit Cap	Each
CONCAP50	50mm Conduit Cap	Each
CONCAP63	63mm Conduit Cap	Each
CONCAP80	80mm Conduit Cap	Each
CONCAP100	100mm Conduit Cap	Each
CONCAP125	125mm Conduit Cap	Each
CONCAP150	150mm Conduit Cap	Each

Code	Description	Unit
CONELB20	20mm Solid Elbow	Each
CONELB25	25mm Solid Elbow	Each

Electrical Conduit & Fittings



Code	Description	Unit
CONINPELB20	20mm Inspection Elbow	Each
CONINPELB25	25mm Inspection Elbow	Each
CONINPELB32	32mm Inspection Elbow	Each



Code	Description	Unit
CONITEE20	20mm Straight Tee	Each
CONITEE25	25mm Straight Tee	Each



Code	Description	Unit
CONINSPTEE20	20mm Inspection Tee	Each
CONINSPTEE25	25mm Inspection Tee	Each
CONINSPTEE32	32mm Inspection Tee	Each



Code	Description	Unit
CONPLSCWADP20	20mm Plain to Screwed Adaptor	Each
CONPLSCWADP25	25mm Plain to Screwed Adaptor	Each
CONPLSCWADP32	32mm Plain to Screwed Adaptor	Each
CONPLSCWADP40	40mm Plain to Screwed Adaptor	Each
CONPLSCWADP50	50mm Plain to Screwed Adaptor	Each



Code	Description	Unit
CONJB1WAY20	20mm One Way Shallow J/B	Each
CONJB1WAY25	25mm One Way Shallow J/B	Each



Code	Description	Unit
CONJB2WAY20	20mm Two Way Shallow J/B	Each
CONJB2WAY25	25mm Two Way Shallow J/B	Each



Code	Description	Unit
CONJB2WAY2090S	20mm Right Angle Shallow J/B	Each
CONJB2WAY2590S	25mm Right Angle Shallow J/B	Each

Electrical Conduit & Fittings



Code	Description	Unit
CONJB3WAYS20	20mm Three Way Shallow J/B	Each
CONJB3WAYS25	25mm Three Way Shallow J/B	Each



Code	Description	Unit
CONJB4WAYS20	20mm Four Way Shallow J/B	Each
CONJB4WAYS25	25mm Four Way Shallow J/B	Each



Code	Description	Unit
CONJB1WAYD20	20mm One Way Deep J/B	Each
CONJB1WAYD25	25mm One Way Deep J/B	Each



Code	Description	Unit
CONJB2WAYD20	20mm Two Way Deep J/B	Each
CONJB2WAYD25	25mm Two Way Deep J/B	Each



Code	Description	Unit
CONJB2WAY90D20	20mm Right Angle Deep J/B	Each
CONJB2WAY90D25	25mm Right Angle Deep J/B	Each



Code	Description	Unit
CONJB3WAYD20	20mm Three Way Deep J/B	Each
CONJB3WAYD25	25mm Three Way Deep J/B	Each

Electrical Conduit & Fittings



Code	Description	Unit
CONJB4WAYD20	20mm Four Way Deep J/B	Each
CONJB4WAYD25	25mm Four Way Deep J/B	Each



Code	Description	Unit
CONSADDLE20	20mm Saddle Grey	Each
CONSADDLE25	25mm Saddle Grey	Each
CONSADDLE32	32mm Saddle Grey	Each



Code	Description	Unit
CONBUSHM+F20	20mm Male + Female Conduit Bush	Each
CONBUSHM+F25	25mm Male + Female Conduit Bush	Each
CONBUSHM+F32	32mm Male + Female Conduit Bush	Each
CONBUSHM+F40	40mm Male + Female Conduit Bush	Each
CONBUSHM+F50	50mm Male + Female Conduit Bush	Each



Code	Description	Unit
SB13	13mm Snap Bush	Each
SB16	16mm Snap Bush	Each
SB20	20mm Snap Bush	Each
SB25	25mm Snap Bush	Each
SB32	32mm Snap Bush	Each



Code	Description	Unit
CONSTGLAND20	20mm Straight Gland	Each
CONSTGLAND25	25mm Straight Gland	Each
CONSTGLAND32	32mm Straight Gland	Each
CONSTGLAND40	40mm Straight Gland	Each
CONSTGLAND50	50mm Straight Gland	Each



Code	Description	Unit
CONLOCFL20	20mm Locating Flange	Each
CONLOCFL20	25mm Locating Flange	Each

Electrical Conduit & Fittings



Code	Description	Unit
CONCLIPADAPRING20	Clip Adaptor with Locking Nut 20mm	Each



Code	Description	Unit
CONSADSPCER20	20mm Saddle Spacers	Each
CONSADSPCER25	25mm Saddle Spacers	Each



Code	Description	Unit
CONENDPLUG20	20mm End Plug	Each
CONENDPLUG25	25mm End Plug	Each



Code	Description	Unit
CONPLTOSCCOUP20	Plain to Screwed Coupling 20mm	Each



Code	Description	Unit
CONCLIP20	20mm Conduit Clip	Each
CONCLIP25	25mm Conduit Clip	Each
CONCLIP32	32mm Conduit Clip	Each



Code	Description	Unit
CONSR25/20	25*20mm Thread Reducer	Each
CONSR32/25	32*25mm Thread Reducer	Each
CONSR40/32	40*32mm Thread Reducer	Each
CONSR50/40	50*40mm Thread Reducer	Each



BETTER CABLE MANAGEMENT

Address: Unit 8 / 15 McPherson Road Smeaton Grange NSW 2567
Phone: 02 8006 4244 Fax: 02 4647 2050
E-mail: sales@cableaway.com.au
Web : www.cableaway.com.au