



# Technical data

# Cable tie wall plug (surface) 25 in U63X

# Description

### Use

- For fixing of Unex trunkings and modular boxes.
- Universal trunking plug for indoor installations.
- Colour: Black.

### Installation

- Pre-mounted plug and screw.
- Applicable to the most usual types of wall.
- No need for special tools: Drill bit Ø6 (Part no.25106) and drill bit Ø4 (Part no.25104).
- Assures electrical safety.
- Easy to mount and remove.
- Halogen free.

## **Product characteristics**

Raw material: U63X

RoHS Compliant: Conformity (1)

Silicone contents: Silicon free (< 0,01%)</li>

# Quality Marks (2)



Directive 2002/95/EC Licence no: ID.98170

## Characteristics

## EN 62275:2009

Minimum installation temperature	-5°C.
Minimum transport and storage temperature	-40°C a +60°C



# Technical data



# Cable tie wall plug (surface) 25 in U63X

## Characteristics

## EN 62275:2009

Material	Non metallic

# Compulsory regulations

### **EUROPEAN DIRECTIVE 2006/95/CE**

CE Marking	Conformity with standard EN 62275:2009.

# Characteristics of U63X raw material

- Base raw material: Polyamide 6
- Silicone Contents: <0,01% (3)</p>
- Phatalate contents according to ASTM D2124-99:2004: <0,01% (3)</p>
- Halogen contents acording to EN 50267-2-1: <0,5% (3)</p>
- UL flammability tests on plastic materials according to ANSI/UL 94: 1990: degree UL94 HB



# Technical data



# Cable tie wall plug (surface) 25 in U63X

## **Notes**

- 1. See reference list www.unex.net/QM.pdf
- 2. Except for new part numbers, which are under process of obtaining quality marks and approvals. www.unex.net/QM.pdf
- 3. Detection limit for the analytical technique applied
- \* All information contained herein is completely objective and is the result of a wide experience in satisfying our costumers` requirements . For more details, please visit our website.
- \*\* Unex aparellaje eléctrico, S.L. reserve the right to modify any characteristics of the products manufactured. This document is an uncontrolled copy and will not be updated if its content changes.

7/5/2015

