



BETTER CABLE MANAGEMENT



Electrical LOCKOUT'S













SAFETY LOCKOUT

Cableaway Lockout's are designed with total safety in mind and are manufactured from a tough reinforced nylon material.

Cableaway lockouts are simple to install with the use of a small flat blade screw driver to fit the device to your selected breaker. Once secured to the breaker they are simple to lock off with one of Cableaway's electrically safe padlocks.

Simple, Safe and Cost Effective!

Part Code	Description
LOMCB1	Suitable for single pole miniature circuit breakers with handle width < 7.7mm
LOMCB2	Suitable for 2 to 4 poles miniature circuit breakers
LOMCB3	Suitable for mini to mid size circuit breakers with handle size < 5mm
LOMCB5	Suitable for large size circuit breakers
LOMCB6	Suitable for mini size circuit breakers with handle size < 9.3mm & Suitable for mid size circuit breakers with handle size < 12mm



DO







LOMCB1

LOMCB2

LOMCB3

LOMCB5

LOMCB6







LOMCB1

LOMCB2

LOMCB3







LOMCB5

LOMCB6

LOMCB6



SMALL-SCALE CIRCUIT BREAKER LOCKOUT

- 1. Manufactured from PBT.
- 2. Suits smaller sized breakers
- 3. Suitable to use with 8mm shackle (padlock).

Part Code	Description
LOMCBSSCALE	LOCKOUT CIRCUIT BREAKER (SMALL SCALE)







SMALL-SCALE CIRCUIT BREAKER LOCKOUT

- 1. Manufactured from nylon and ABS.
- 2. Suits Schneider breakers
- 3. Suitable to use with 6mm shackle (padlock).





UPS-21NPUT DESCRIPTION DESCRIPTION OF THE PROPERTY OF THE PROP

LOMCBSCH	LOCKOUT (SMALL SCALE) FOR SCHNEIDER BREAKERS
Part Code	Description
	DD-D20





MULTI-FUNCTION CIRCUIT BREAKER LOCKOUT

- 1. Manufactured from reinforced nylon.
- 2. Chrome plated brass screw.
- 3. Suitable for use with mid-size breakers (handle size < 20mm).

Part Code	Description
LOMCBMFW	LOCKOUT MCB MULTI FUNCTION (W)







MINIATURE CIRCUIT BREAKER LOCKOUT





- 1. Made from strengthened Nylon.
- 2. Fit's most standard breakers.
- 3. Push button installation (no tool required).
- 4. Fit's single and multi-pole breakers.
- 5. Use in combination with electrically safe padlock up to 7mm diameter.

Part Code	Description
LOMCBPISTD	L/OUT MCB PIN IN STANDARD





DOUBLE HEAD LOCK






- 1. Steel construction powder coated finish.
- 2. Keyhole dimension 8.6mm.
- 3. Suitable up to 3 locks at a time.

Part Code	Description
LODHL	L/OUT DOUBLE HEAD LOCK 3x P/LO

SIMPLE CIRCUIT BREAKER LOCKOUT

- 1. Made from aluminium alloy.
- 2. Suitable for small size breaker.




Part Code	Descripition
LOMCBAL1	L/OUT MCB SIZE 1 ALUMINIUM 8.6



NYLON LOCKOUT HASP

Part Code	Description
LONYHASP	LOCK OUT NYLON HASP 173x43mm (RED) 6dia



BD-K42

SIMPLE CABLE LOCKOUT

Part Code	Description
LOSIMCABLE LOCK	LOCK OUT SIMPLE CABLE LOCK (PVC COATED NYLON) 5mm



MULTIPURPOSE CABLE LOCKOUT

- a.	D 1.2
Part Code	Description
LOCABLELOCK	LOCK OUT NYLON CABLE LOCK (PVC COATED STAINLESS STEEL) 4.0mm








φ4mm (or3mm) φ8mm 20mm

Lockout Tagout




STEEL HASP WITH HOOK

Part Code	Description
LOSAFETY HASP	LOCK OUT SAFETY HASP 25mm ID (NYLON COATED) RED


SAFETY PADLOCK

Part Code	Description
LOPADLOCK	LOCK OUT NYLON PAD LOCK (45x38x20) RED
LOPADLOCKKA	LOCK OUT NYLON PAD LOCK (45x38x20) KEYED ALIKE RED



Lockout Tagout

Part Code	Description
LOTTAG	LOCK OUT DANGER TAG 0.5mm (PVC)









Address: Unit 8 / 15 McPherson Road Smeaton Grange NSW 2567

Phone: 02 8006 4244 Fax: 02 4647 2050

E-mail: sales@cableaway.com.au Web: www.cableaway.com.au